

PALM INTRANET

Day : Monday Date: 5/20/2002 Time: 15:15:32

Inventor Name Search Result

Your Search was:

Last Name = KOLODNER First Name = RICHARD

Application# Patent# Status Date Filed Title Inventor Name								
Application#	Patent#	Status	Date Filed	Title	Inventor Name			
08154792	Not 161 11/17/1993 Issued		11/17/1993	MISMATCH REPAIR GENES, GENE PRODUCTS, AND USES THEREFOR	KOLODNER , RICHARD D.			
08163449	Not Issued	161	12/07/1993	MISMATCH REPAIR GENES, GENE PRODUCTS, AND USES THEREFOR	KOLODNER , RICHARD D.			
08209521	5922855	150	03/08/1994	MAMMALIAN DNA MISMATCH REPAIR GENES MLH1 AND PMS1	KOLODNER , RICHARD D.			
08259310	Not Issued	161	06/13/1994	METHODS AND REAGENTS RELATED TO CANCER DETECTION AND DIAGNOSIS	KOLODNER , RICHARD D.			
08352902	6191268	150	12/09/1994	COMPOSITIONS AND METHODS RELATING TO DNA MISMATCH REPAIR GENES	KOLODNER , RICHARD D.			
08448444	Not Issued	140	12/06/1995	METHOD FOR DETECTION OF ALTERATIONS IN THE DNA MISMATCH REPAIR PATHWAY	KOLODNER , RICHARD D.			
08460899	5824471	150	06/05/1995	DETECTION OF MISMATCHES BY CLEAVAGE OF NUCLEIC ACID HETERODUPLEXES	KOLODNER , RICHARD			
08465251	Not Issued	174		METHOD FOR DETECTION OF ALTERATIONS IN THE DNA MISMATCH REPAIR PATHWAY	KOLODNER , RICHARD D.			
08961810	6165713	150		COMPOSITION AND METHODS RELATING TO DNA MISMATCH REPAIR GENES	KOLODNER , RICHARD D.			
09265503	Not Issued	089	100	COMPOSITIONS AND METHODS RELATING TO DNA MISMATCH REPAIR GENES	KOLODNER , RICHARD D.			
<u>09469636</u>	Not Issued	095		MSH5 ABLATED MICE AND USES THEREFOR	KOLODNER, RICHARD D.			
<u>09470276</u>	Not Issued	071			KOLODNER, RICHARD			
√ <u>09658734</u>	Not Issued	041		· · · · · · · · · · · · · · · · · · ·	KOLODNER, RICHARD D.			
09658969	Not	071	09/11/2000	METHODS FOR MODULATING	KOLODNER,			

	Issued		THE ACTIVITY OF MSH5	RICHARD D.
60051686	Not Issued	159		KOLODNER , RICHARD
60113487	Not Issued	159	MSH5 ABLATED MICE AND USES THEREFOR	KOLODNER , RICHARD D.
60327728	Not Issued	020	·	KOLODNER, RICHARD

Inventor Search Completed: No Records to Display.

Search Another: Inv	Last Name	First Name	
Scaren Another, Inv	kolodner	richard	Search

(To go back use Back button on your browser toolbar.)

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Monday Date: 5/20/2002 Time: 15:15:03

Inventor Name Search Result

Your Search was:

Last Name = EDELMANN First Name = WINFRIED

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09469636	Not Issued	095		MSH5 ABLATED MICE AND USES THEREFOR	EDELMANN, WINFRIED
09658734	Not Issued	041		METHODS FOR IDENTIFYING COMPOUNDS WHICH MODULATE THE ACTIVITY OF MSH5	EDELMANN, WINFRIED
09658969	Not Issued	071		METHODS FOR MODULATING THE ACTIVITY OF MSH5	EDELMANN, WINFRIED
09991099	Not Issued	019		MSH4 ABLATED MICE AND USES THEREFOR	EDELMANN, WINFRIED
<u>60113487</u>	Not Issued	159	1	MSH5 ABLATED MICE AND USES THEREFOR	EDELMANN , WINFRIED
60252661	Not Issued	020	. ,	MSH4 ABLATED MICE AND USES THEREFOR	EDELMANN, WINFRIED

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor

edelmann

winfried

Seerch

(To go back use Back button on your browser toolbar.)

Back to PALM | ASSIGNMENT | OASIS | Home page

WEST

Generate Collection

Print

Search Results - Record(s) 1 through 3 of 3 returned.

☐ 1. Document ID: US 20020058275 A1

L3: Entry 1 of 3

File: PGPB

May 16, 2002

PGPUB-DOCUMENT-NUMBER: 20020058275

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020058275 A1

TITLE: Compositions, kits, and methods for effecting adenine nucleotide modulation

of DNA mismatch recognition proteins

PUBLICATION-DATE: May 16, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Fishel, Richard A. Penn Valley PA US
Gradia, Scott Philadelphia PA US
Acharya, Samir Philadelphia PA US

US-CL-CURRENT: <u>435/6</u>; <u>435/91.2</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Desc Image

KWIC

☐ 2. Document ID: US 20020039776 A1

L3: Entry 2 of 3

File: PGPB

Apr 4, 2002

PGPUB-DOCUMENT-NUMBER: 20020039776

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020039776 A1

TITLE: Mammalian SUV39H2 proteins and isolated DNA molecules encoding them

PUBLICATION-DATE: April 4, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Jenuwein, ThomasWienATO'Carroll, DonalGreystonesIERea, StephenHeadfordIE

US-CL-CURRENT: 435/193; 435/15, 514/1, 536/23.2

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Desc Image

☐ 3. Document ID: US 6333153 B1

L3: Entry 3 of 3

File: USPT

Dec 25, 2001

US-PAT-NO: 6333153

DOCUMENT-IDENTIFIER: US 6333153 B1

TITLE: Compositions, kits, and methods for effecting adenine nucleotide modulation

of DNA mismatch recognition proteins

DATE-ISSUED: December 25, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Fishel; Richard A.

Penn Valley

PA

Gradia; Scott

Philadelphia

PA

Acharya; Samir

Philadelphia

PA

US-CL-CURRENT: 435/6; 435/7.1, 435/91.2, 530/350, 536/23.1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	KWIC
Drawd D	esc li	mage								
			•							
								northware control of the control of		
					Generate C	`allaati	an 1	Print		
				<u> </u>	Generale C	onecu		Print		
•							***************************************	···		
					Terms				Documents	
	T 0	1 /						<u></u>		
	L2 ar	ıd (regu	lation (or mod	ulation)					311

Display Format: - Change Format

<u>Previous Page</u> <u>Next Page</u>

WEST Search History

DATE: Monday, May 20, 2002

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT	T,PGPB,EPAB,DWPI; PLUR=YES; OP=OR		
L3	L2 and (regulation or modulation)	3	L3
L2	msh5	7	L2
L1	msh5 and modulating	4	L1

END OF SEARCH HISTORY

=> s (MSH5 and modulating) and inhibit and (MSH5 (w) expression) or (MSH5 (w) activity)

6 FILE DGENE L32 FILE USPATFULL

TOTAL FOR ALL FILES

8 (MSH5 AND MODULATING) AND INHIBIT AND (MSH5 (W) EXPRESSION) OR

(MSH5 (W) ACTIVITY)

=> d 14 1-8 ibib abs

ANSWER 1 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62961 DNA DGENE

TITLE:

New transgenic mouse comprising a misexpressed MutS homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

INVENTOR:

Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] ΑN AAA62961 DNA **DGENE**

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to identify ES cell colonies which are successfully transfected with a Msh5 containing vector pMsh5ex18 in examples used to illustrate the methods of the invention.

ANSWER 2 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62960 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] ΑN AAA62960 DNA **DGENE**

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a

method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to identify ES cell colonies which are successfully transfected with a Msh5 containing vector pMsh5ex18 in examples used to illustrate the methods of the invention.

L4 ANSWER 3 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62959 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

_

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AN AAA62959 DNA DGENE

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

L4 ANSWER 4 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62958 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AN AAA62958 DNA DGENE

This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a

method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

L4 ANSWER 5 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62957 DNA DGENE

TITLE: New transgenic mouse comp

New transgenic mouse comprising a misexpressed MutS homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

44p

_

INVENTOR: . Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AN AAA62957 DNA DGENE

AΒ This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

ANSWER 6 OF 8 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62956 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38]
AN AAA62956 DNA DGENE

This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility

disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

ANSWER 7 OF 8 USPATFULL

ACCESSION NUMBER: 2002:112540 USPATFULL

TITLE:

ţ

Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

INVENTOR(S):

Fishel, Richard A., Penn Valley, PA, UNITED STATES Gradia, Scott, Philadelphia, PA, UNITED STATES

Acharya, Samir, Philadelphia, PA, UNITED STATES

PATENT ASSIGNEE(S): Thomas Jefferson University, Philadelphia, PA, UNITED STATES, 19107-5587 (U.S. corporation)

> NUMBER KIND DATE -----

PATENT INFORMATION: APPLICATION INFO.:

US 2002058275 A1 20020516 US 2001-934909 A1 20010822 (9)

RELATED APPLN. INFO.:

Division of Ser. No. US 1998-143571, filed on 28 Aug

1998, PENDING

NUMBER DATE -----

PRIORITY INFORMATION:

US 1998-93935P 19980723 (60) US 1997-66977P 19971128 (60) US 1997-57136P 19970828 (60)

DOCUMENT TYPE: FILE SEGMENT:

Utility APPLICATION

LEGAL REPRESENTATIVE:

AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P., ONE COMMERCE

SQUARE, 2005 MARKET STREET, SUITE 2200, PHILADELPHIA,

PA, 19103

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

55

NUMBER OF DRAWINGS:

25 Drawing Page(s)

LINE COUNT:

AΒ Compositions, and products comprising a MutS homolog which binds to a mismatched region of a duplex DNA molecule in the presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs is also included. Nonhuman mammals which are nullizygous for both Msh2 and p53 are also provided, as are methods of making and using the same.

ANSWER 8 OF 8 USPATFULL

ACCESSION NUMBER:

2001:235086 USPATFULL

TITLE:

Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

proteins

INVENTOR(S):

Fishel, Richard A., Penn Valley, PA, United States Gradia, Scott, Philadelphia, PA, United States Acharya, Samir, Philadelphia, PA, United States

PATENT ASSIGNEE(S):

Thomas Jefferson University, Philadelphia, PA, United

States (U.S. corporation)

NUMBER KIND DATE -----PATENT INFORMATION: US 6333153 B1 20011225 APPLICATION INFO.: US 1998-143571 19980828 (9)

NUMBER DATE

PRIORITY INFORMATION: US 1998-93935P 19980723

US 1998-93935P 19980723 (60) US 1997-66977P 19971128 (60)

US 1997-57136P 19970828 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Zitomer, Stephanie W.

LEGAL REPRESENTATIVE: Akin, Gump, Strauss, Hauer & Feld, L.L.P.

NUMBER OF CLAIMS: 88 EXEMPLARY CLAIM: 1

PLARY CLAIM: 1

NUMBER OF DRAWINGS: 49 Drawing Figure(s); 25 Drawing Page(s) LINE COUNT: 4750

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Compositions, and products comprising a MutS homolog which binds to a mismatched region of a duplex DNA molecule in the presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs is also included. Nonhuman mammals which are nullizygous for both Msh2 and p53 are also provided, as are methods of making and using the same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=>

L7 ANSWER 1 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAW94057 Protein DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAW94057 Protein DGENE

This represents a human MSH5 (hMSH5) protein. Host cells AB containing a vector comprising the MSH5 gene is used for the recombinant production of the protein. The MSH5 gene is a DNA mismatch repair gene. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy.

L7 ANSWER 2 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAW94058 Protein DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAW94058 Protein DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. The present sequence represents a murine MSH5 (mMSH5) protein.

L7 ANSWER 3 OF 115 DGENE (C) 2002 THOMSON DERWENT ACCESSION NUMBER: AAY06778 Protein DGENE

TITLE: Use of MutS homologs - for developing methods and products

for use in the study, detection and treatment of e.g. tumorigenesis, apoptosis, ageing and foetal development

INVENTOR: Acharya S; Fishel R; Gradia S PATENT ASSIGNEE: (UYJE-N)UNIV JEFFERSON THOMAS.

PATENT INFO: WO 9910369 A1 19990304 160p

APPLICATION INFO: WO 1998-US17914 19980828 PRIORITY INFO: US 1998-93935 19980723 US 1997-57136 19970828 US 1997-66977 19971128

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-204647 [17]
AN AAY06778 Protein DGENE

AB The invention relates to compositions, kits and methods for effecting adenine nucleotide modulation of DNA mismatch recognition proteins. The products comprise a MutS homolog which binds to a mismatched region of duplex DNA molecule in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs are also included. The methods and products can be used for the study, detection and treatment of events involved in tumourigenesis, apoptosis, ageing and foetal development.

L7 ANSWER 4 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62961 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38]
AN AAA62961 DNA DGENE

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a

member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for

modulating the activity of MSH5, and a method for

identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of

MSH5 function in cell processes, e.g. meiosis. Compounds (e.g.

antisense MSH5 nucleic acids, MSH5 antibodies,

MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to identify ES cell colonies which are successfully transfected with a Msh5 containing vector pMsh5ex18 in examples used to illustrate the methods of the invention.

7 ANSWER 5 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62960 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38]
AN AAA62960 DNA DGENE

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a

member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for

modulating the activity of MSH5, and a method for
identifying individuals at risk of developing a fertility disease or

disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g.

antisense MSH5 nucleic acids, MSH5 antibodies,

MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to identify ES cell colonies which are

successfully transfected with a Msh5 containing vector pMsh5ex18 in examples used to illustrate the methods of the invention.

L7 ANSWER 6 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62959 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AN AAA62959 DNA DGENE

This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies,

MSH5 agonists or antagonists) that modulate the activity of

MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA

sequence.

L7 ANSWER 7 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62958 DNA DGENE

New transgenic mouse comprising a misexpressed MutS homolog 5 TITLE:

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

e.g. fertility disorders -

Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S INVENTOR:

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

DANA FARBER CANCER INST INC. (DAND)

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

PRIORITY INTO: Patent English

2000-442485 [38] OTHER SOURCE: AAA62958 DNA AN DGENE

This invention relates to a transgenic mouse, in which the MutS homologue AB

5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals

which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for

modulating the activity of MSH5, and a method for

identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for

MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g.

antisense MSH5 nucleic acids, MSH5 antibodies,

MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence

represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA

sequence.

ANSWER 8 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62957 DNA **DGENE**

New transgenic mouse comprising a misexpressed MutS homolog 5 TITLE:

> (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

> > 44p

e.g. fertility disorders -

Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S INVENTOR:

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

DANA FARBER CANCER INST INC. (DAND)

PATENT INFO:

DANA FARDER GARDEN WO 2000036910 A1 20000629

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AAA62957 DNA AN DGENE

AR This invention relates to a transgenic mouse, in which the MutS homologue

5 (MSH5) gene is misexpressed. The MSH5 protein is a

member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are

sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying

compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for

identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived

from the transgenic mouse can be used to define the mechanism of

MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

L7 ANSWER 9 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62956 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS homolog 5

(MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders,

e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AN AAA62956 DNA DGENE

This invention relates to a transgenic mouse, in which the MutS homologue AΒ 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse

L7 ANSWER 10 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05112 cDNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

Msh5 gene. The primer is based on the human Msh5 cDNA

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

sequence.

OTHER SOURCE: 1999-106052 [09]
AN AAX05112 CDNA DGENE

AB This cDNA encodes a human MSH5 (hMSH5) protein. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the protein. The MSH5 gene is a DNA mismatch repair gene. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative

of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy.

L7 ANSWER 11 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05113 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05113 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 12 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05163 cDNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05163 CDNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene

confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. The present sequence represents a cDNA encoding a murine MSH5 (mMSH5) protein.

ANSWER 13 OF 115 DGENE (C) 2002 THOMSON DERWENT 1.7

ACCESSION NUMBER: AAX05117 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 PATENT INFO: 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703 DOCUMENT TYPE: Patent

PRIORITI
DOCUMENT TYPE: English

OTHER SOURCE: 1999-106052 [09] AAX05117 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 14 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05127 DNA DGENE.

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

Patent DOCUMENT TYPE: LANGUAGE: English

Englisn 1999-106052 [09] OTHER SOURCE: AAX05127 DNA DGENE AN

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene

therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 15 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05161 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05161 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05161-162 represent primers used for the PCR amplification of the hMSH5 gene.

L7 ANSWER 16 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05131 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

AB

OTHER SOURCE: 1999-106052 [09]
AN AAX05131 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 17 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05130 DNA **DGENE**

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05130 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 18 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05129 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

AB

1999-106052 [09] OTHER SOURCE: AAX05129 DNA AN DGENE

> The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 19 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05128 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 - used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05128 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 20 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05126 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05126 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 21 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05125 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

114p WO 9901550 A1 19990114 PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

OTHER SOURCE: 1999-106052 [09] AAX05125 DNA DGENE AN

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 22 OF 115 DGENE (C) 2002 THOMSON DERWENT L7

ACCESSION NUMBER: AAX05124 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: 114p WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]

AAX05124 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 23 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05123 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

A1 19990114 PATENT INFO: WO 9901550 114p

APPLICATION INFO: WO 1998-US13850 19980702

PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05123 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 24 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05122 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05122 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 25 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05121 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

114p

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05121 DNA DGENE

AB

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 26 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05120 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05120 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 27 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05119 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05119 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5

. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 28 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05118 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05118 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 29 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05116 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05116 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and

segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 30 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05115 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05115 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 31 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05114 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05114 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a

predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 32 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05147 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05147 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 33 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05146 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05146 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for

prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 34 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05145 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

PRIORITY INFO: DOCUMENT TYPE: Patent LANGUAGE: English

AΒ

OTHER SOURCE: 1999-106052 [09]
AN AAX05145 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 35 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05144 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

LANGUAGE:
OTHER SOURCE: 1999-106052 [09]
AN AAX05144 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and

agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 36 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05143 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

PRIORITI INC.
DOCUMENT TYPE: Patent
LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05143 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 37 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05142 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703 DOCUMENT TYPE: Patent

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05142 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 38 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05141 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

114p PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

1999-106052 [09] OTHER SOURCE: AAX05141 DNA ΑN DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 39 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05140 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703
DOCUMENT TYPE: Patent

LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05140 DNA ΑN DGENE

AΒ The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 40 OF 115 DGENE (C) 2002 THOMSON DERWENT ACCESSION NUMBER: AAX05139 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05139 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the ${\tt MSH5}$ protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 41 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05138 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05138 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 ΑB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 42 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05137 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05137 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 43 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05136 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05136 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 44 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05135 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE: ΑN AAX05135 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 45 OF 115 DGENE (C) 2002 THOMSON DERWENT L7

ACCESSION NUMBER: AAX05134 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05134 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 46 OF 115 DGENE (C) 2002 THOMSON DERWENT L7

ACCESSION NUMBER: AAX05133 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703 DOCUMENT TYPE: Patent

LANGUAGE: English

AΒ

OTHER SOURCE: 1999-106052 [09]
AN AAX05133 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 47 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05132 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05132 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 48 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05164 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05164 DNA DGENE AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 49 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05155 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05155 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 50 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05160 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05160 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and

segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 51 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05159 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: (English

1999-106052 [09] OTHER SOURCE: AAX05159 DNA DGENE AN

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 52 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05158 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 Al 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

OTHER SOURCE: 1999-106052 [09] AAX05158 DNA AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a

predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 53 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05157 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AAX05157 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 54 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05156 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE:

English 1999-106052 [09] OTHER SOURCE: AN AAX05156 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 55 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05154 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05154 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 56 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05153 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

114p

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 - 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

LANGUAGE:
OTHER SOURCE: 1999-106052 [09]
AN AAX05153 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5
. Host cells containing a vector comprising the MSH5 gene is
used for the recombinant production of the MSH5 protein. The
MSH5 gene product is required for meiotic crossing over and
segregation of chromosomes during meiosis. The products can be used for
detecting an alteration in a mammalian gene as indicative of a

predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and

agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 57 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05162 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

PRIORITY INCO.

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05162 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05161-162 represent primers used for the PCR amplification of the hMSH5 gene.

L7 ANSWER 58 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05152 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05152 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 59 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05151 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05151 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

L7 ANSWER 60 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05150 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702
PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05150 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

1999-106052 [09] OTHER SOURCE: AAX05149 DNA AN DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AR . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 62 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05148 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05148 DNA DGENE ΑN

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05113-160 represent exon/intron junction sequences of the hMSH5 gene.

ANSWER 63 OF 115 DGENE (C) 2002 THOMSON DERWENT

DGENE ACCESSION NUMBER: AAX05173 DNA

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

> used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05173 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for melotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 64 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05174 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

114p

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05174 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 65 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05172 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05172 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 66 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05171 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05171 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 67 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05170 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05170 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5

. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 68 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05169 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05169 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 69 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05168 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05168 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5.

. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a

predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 70 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05167 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05167 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 71 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05166 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE:

English 1999-106052 [09] OTHER SOURCE: AAX05166 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 72 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05165 DNA **DGENE**

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

(DAND) DANA FARBER CANCER INST INC. PATENT ASSIGNEE:

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 US 1997-51686 PRIORITY INFO: 19970703

Patent DOCUMENT TYPE: LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05165 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 73 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05189 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

(DAND) DANA FARBER CANCER INST INC. PATENT ASSIGNEE:

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

Patent DOCUMENT TYPE: LANGUAGE: English

1999-106052 [09] OTHER SOURCE: AAX05189 DNA DGENE AN

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 74 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05188 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05188 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 75 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05187 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05187 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 76 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05186 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05186 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 77 OF 115 DGENE (C) 2002 THOMSON DERWENT **T.7**

ACCESSION NUMBER: AAX05185 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

114p

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

A1 19990114 PATENT INFO: WO 9901550 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE:

AAX05185 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 78 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05184 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703 DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05184 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 79 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05183 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05183 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 80 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05182 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05182 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5

. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 81 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05181 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05181 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 82 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05180 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05180 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a

predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 83 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05179 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 ~ TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

1999-106052 [09] OTHER SOURCE: AAX05179 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cell's containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 84 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05178 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 A1 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE:

English 1999-106052 [09] OTHER SOURCE: AN AAX05178 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 85 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05177 DNA

DGENE

TITLE:

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

114p

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO:

WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702

PRIORITY INFO: US 1997-51686

19970703

DOCUMENT TYPE:

Patent English

LANGUAGE:

1999-106052 [09]

OTHER SOURCE:

AAX05177 DNA AN AB

DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 86 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05176 DNA

DGENE

TITLE:

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

· 114p

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO:

WO 9901550 Al 19990114

APPLICATION INFO: WO 1998-US13850 19980702

PRIORITY INFO: US 1997-51686

19970703

DOCUMENT TYPE: LANGUAGE:

Patent

English

OTHER SOURCE: AAX05176 DNA AN

Engils... 1999-106052 [09] DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene

therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 87 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05175 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05175 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 88 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05203 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703 DOCUMENT TYPE: Patent

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05203 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 89 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05202 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05202 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 90 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05201 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05201 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 91 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05200 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05200 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 92 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05199 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05199 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 93 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05198 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05198 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 94 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05197 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

AB

OTHER SOURCE: 1999-106052 [09]
AN AAX05197 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 95 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05196 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

PRIORITI INTO.

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]

AN AAX05196 DNA DGENE

AB

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 96 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05195 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05195 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

L7 ANSWER 97 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05194 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05194 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is

used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 98 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05193 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE:

Englis: 1999-106052 [09] OTHER SOURCE: AAX05193 DNA DGENE AN

AΒ The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

ANSWER 99 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05192 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

WO 9901550 Al 19990114 114p PATENT INFO:

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

OTHER SOURCE: 1999-106052 [09] AAX05192 DNA AN DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a

predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 100 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05191 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05191 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AΒ . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 101 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05190 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05190 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5. Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to

identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05164-194 represent introns of the hMSH5 gene.

L7 ANSWER 102 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05213 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05213 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05210-211 represent RT-PCR primers used for cloning the 3' end of the murine MSH5 (mMSH5) gene.

L7 ANSWER 103 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05212 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05212 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05210-211 represent RT-PCR primers used for cloning the 3' end of the murine MSH5 (mMSH5) gene.

L7 ANSWER 104 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05211 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05211 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05210-211 represent primers based on the hMSH5 gene that is used for the PCR amplification of the murine MSH5 (mMSH5) gene.

L7 ANSWER 105 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05210 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05210 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05210-211 represent primers based on the hMSH5 gene that is used for the PCR amplification of the murine MSH5 (mMSH5) gene.

ANSWER 106 OF 115 DGENE (C) 2002 THOMSON DERWENT L7

ACCESSION NUMBER: AAX05209 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 Al 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686
DOCUMENT TYPE: Patent
LANGUAGE: English 19970703

1999-106052 [09] OTHER SOURCE: AAX05209 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05205-209 represent introns of the murine MSH5 (mMSH5) gene.

ANSWER 107 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05208 DNA DGENE .

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686
DOCUMENT TYPE: Patent 19970703

LANGUAGE:

English 1999-106052 [09] OTHER SOURCE: AAX05208 DNA DGENE

The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05205-209 represent introns of the murine MSH5 (mMSH5) gene.

ANSWER 108 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05207 DNA DGENE

New isolated human DNA mismatch repair gene, MSH5 -TITLE:

used for developing products for the diagnosis and therapy of disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09] AN AAX05207 DNA DGENE

AΒ The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05205-209 represent introns of the murine MSH5 (mMSH5) gene.

L7 ANSWER 109 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05206 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 1999-106052 [09]
AN AAX05206 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05205-209 represent introns of the murine MSH5 (mMSH5) gene.

L7 ANSWER 110 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX05205 DNA DGENE

TITLE: New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

INVENTOR: Kolodner R; Winand N

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

PATENT INFO: WO 9901550 A1 19990114 114p

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent English LANGUAGE:

OTHER SOURCE: 1999-106052 [09] AN AAX05205 DNA DGENE

AB The invention relates to a human DNA mismatch repair gene, MSH5 . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05205-209 represent introns of the murine MSH5 (mMSH5) gene.

ANSWER 111 OF 115 DGENE (C) 2002 THOMSON DERWENT L7

ACCESSION NUMBER: AAX05204 DNA **DGENE**

New isolated human DNA mismatch repair gene, MSH5 -

used for developing products for the diagnosis and therapy of

disorders such as cancer, infertility and Down's syndrome

Kolodner R; Winand N INVENTOR:

PATENT ASSIGNEE: (DAND) DANA FARBER CANCER INST INC.

114p PATENT INFO: WO 9901550 A1 19990114

APPLICATION INFO: WO 1998-US13850 19980702 PRIORITY INFO: US 1997-51686 19970703

DOCUMENT TYPE: Patent LANGUAGE: English

1999-106052 [09] OTHER SOURCE:

AAX05204 DNA DGENE AN

The invention relates to a human DNA mismatch repair gene, MSH5 AB . Host cells containing a vector comprising the MSH5 gene is used for the recombinant production of the MSH5 protein. The MSH5 gene product is required for meiotic crossing over and segregation of chromosomes during meiosis. The products can be used for detecting an alteration in a mammalian gene as indicative of a predisposition to malignant growth of cells or indicative of a predisposition to a malady associated with inappropriate meiotic segregation such as infertility or Down's syndrome. The alterations can also be used for diagnosing a DNA mismatch pair defective tumour and for prognosis of an individual having cancer. Moreover, defects in this gene confer resistance to alkylating agents. The products can also be used to identify therapeutic agents effective against MSH5 defects and agents that affect the gene. The products can also be used for gene therapy. Sequences AAX05195-204 represent exon/intron junction sequences of the murine MSH5 (mMSH5) gene.

ANSWER 112 OF 115 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAX32694 cDNA DGENE

Use of MutS homologs - for developing methods and products TITLE:

for use in the study, detection and treatment of e.g. tumorigenesis, apoptosis, ageing and foetal development

Acharya S; Fishel R; Gradia S INVENTOR: (UYJE-N)UNIV JEFFERSON THOMAS. PATENT ASSIGNEE:

160p A1 19990304 PATENT INFO: WO 9910369

APPLICATION INFO: WO 1998-US17914 19980828

PRIORITY INFO: US 1998-93935 19980723

US 1997-57136 19970828 US 1997-66977 19971128

DOCUMENT TYPE: LANGUAGE:

Patent English

OTHER SOURCE:

1999-204647 [17]

AN

AAX32694 cDNA

AB The invention relates to compositions, kits and methods for effecting adenine nucleotide modulation of DNA mismatch recognition proteins. The products comprise a MutS homolog which binds to a mismatched region of duplex DNA molecule in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs are also included. The methods and products can be used for the study, detection and treatment of events involved in tumourigenesis, apoptosis, ageing and foetal development.

ANSWER 113 OF 115 USPATFULL

ACCESSION NUMBER:

2002:112540 USPATFULL

TITLE:

Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

proteins

INVENTOR(S):

Fishel, Richard A., Penn Valley, PA, UNITED STATES Gradia, Scott, Philadelphia, PA, UNITED STATES Acharya, Samir, Philadelphia, PA, UNITED STATES

PATENT ASSIGNEE(S):

Thomas Jefferson University, Philadelphia, PA, UNITED

STATES, 19107-5587 (U.S. corporation)

NUMBER KIND DATE US 2002058275 20020516 A1

PATENT INFORMATION: APPLICATION INFO.:

US 2001-934909 A1 20010822 (9)

RELATED APPLN. INFO.:

Division of Ser. No. US 1998-143571, filed on 28 Aug

1998, PENDING

NUMBER DATE

PRIORITY INFORMATION:

US 1998-93935P 19980723 (60) US 1997-66977P 19971128 (60) US 1997-57136P 19970828 (60)

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P., ONE COMMERCE

SQUARE, 2005 MARKET STREET, SUITE 2200, PHILADELPHIA,

PA, 19103

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

55

NUMBER OF DRAWINGS:

25 Drawing Page(s)

LINE COUNT:

4648

AΒ Compositions, and products comprising a MutS homolog which binds to a mismatched region of a duplex DNA molecule in the presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs is also included. Nonhuman mammals which are nullizygous for both Msh2 and p53 are also provided, as are methods of making and using the same.

ANSWER 114 OF 115 USPATFULL

ACCESSION NUMBER:

2002:72639 USPATFULL

TITLE:

Mammalian SUV39H2 proteins and isolated DNA molecules

encoding them

INVENTOR(S):

Jenuwein, Thomas, Wien, AUSTRIA

O'Carroll, Donal, Greystones, IRELAND

Rea, Stephen, Headford, IRELAND

NUMBER KIND DATE _____

US 2002039776 A1 20020404 US 2001-876224 A1 20010608 PATENT INFORMATION: A1 20010608 (9) APPLICATION INFO.:

> NUMBER DATE _____

EP 2000-112479 20000609 EP 2000-112345 20000609 PRIORITY INFORMATION:

US 2000-224173P 20000809 (60)

DOCUMENT TYPE: Utility APPLICATION FILE SEGMENT:

STERNE, KESSLER, GOLDSTEIN & FOX PLLC, 1100 NEW YORK LEGAL REPRESENTATIVE:

AVENUE, N.W., SUITE 600, WASHINGTON, DC, 20005-3934

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

34 Drawing Page(s) NUMBER OF DRAWINGS:

LINE COUNT: 2674

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Murine and human Suv39h2 polypeptide and DNA molecules encoding them. Suv39h2 is a novel member of the Suv3-9 gene family. Suv39h2 is a novel component of meiotic higher order chromatin. It has histone methyltransferase activity and is required, in combination with Suv39h1, for male gametogenesis. Suv39h2 can be used in screening methods to identify modulators of its methyltransferase activity, which are useful in cancer therapy and for male contraception.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 115 OF 115 USPATFULL

ACCESSION NUMBER: 2001:235086 USPATFULL

TITLE: Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

INVENTOR(S): Fishel, Richard A., Penn Valley, PA, United States

Gradia, Scott, Philadelphia, PA, United States Acharya, Samir, Philadelphia, PA, United States

PATENT ASSIGNEE(S): Thomas Jefferson University, Philadelphia, PA, United

States (U.S. corporation)

NUMBER KIND DATE US 6333153 B1 20011225 US 1998-143571 19980828 PATENT INFORMATION: 19980828 (9) APPLICATION INFO.:

NUMBER DATE _____ US 1998-93935P 19980723 (60) US 1997-66977P 19971128 (60) US 1997-57136P 19970828 (60) PRIORITY INFORMATION:

Utility DOCUMENT TYPE:

FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Zitomer, Stephanie W.

LEGAL REPRESENTATIVE: Akin, Gump, Strauss, Hauer & Feld, L.L.P.

NUMBER OF CLAIMS: 88 EXEMPLARY CLAIM:

NUMBER OF DRAWINGS: 49 Drawing Figure(s); 25 Drawing Page(s)

LINE COUNT: 4750

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Compositions, and products comprising a MutS homolog which binds to a mismatched region of a duplex DNA molecule in the presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of MutL homolog derivatives in combination with MutS homologs is also included. Nonhuman mammals which are nullizygous for both Msh2 and p53 are also provided, as are methods of

making and using the same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=>

```
L16 ANSWER 1 OF 25 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
     2002:157886 BIOSIS
     PREV200200157886
     Human hMSH4: Identification of a functional splicing variant and
ΤI
     interaction with von Hippel-Lindau-binding-protein-1 (VBP1.
ΑU
     Her, Chengtao (1)
     (1) School of Molecular Biosciences, Washington State University, 627
CS
     Fulmer Hall, Pullman, WA, 99164 USA
     Molecular Biology of the Cell, (Nov, 2001) Vol. 12, No. Supplement, pp.
SO
     318a. http://www.molbiolcell.org/. print.
     Meeting Info.: 41st Annual Meeting of the American Society for Cell
     Biology Washington DC, USA December 08-12, 2001
     ISSN: 1059-1524.
ÐΤ
     Conference
LΑ
     English
CC
     General Biology - Symposia, Transactions and Proceedings of Conferences,
     Congresses, Review Annuals *00520
     Genetics and Cytogenetics - General *03502
     Genetics and Cytogenetics - Human *03508
     Biochemical Studies - Nucleic Acids, Purines and Pyrimidines *10062
BC
     Hominidae
                 86215
     Major Concepts
ΙT
        Molecular Genetics (Biochemistry and Molecular Biophysics)
IT
     Parts, Structures, & Systems of Organisms
        cell
IT
     Chemicals & Biochemicals
        DNA: repair, replication; human MutS homolog-4; human MutS
        homolog-5; vin Hippel-Lindau-binding protein-1
     Miscellaneous Descriptors
TT
        meiosis; protein-protein interaction; Meeting Abstract
ORGN Super Taxa
        Hominidae: Primates, Mammalia, Vertebrata, Chordata, Animalia
ORGN Organism Name
        human (Hominidae)
ORGN Organism Superterms
        Animals; Chordates; Humans; Mammals; Primates; Vertebrates
    ANSWER 2 OF 25 CAPLUS COPYRIGHT 2002 ACS
                                                       DUPLICATE 1
AN
     2001:93602 CAPLUS
DN
     135:368128
     Mouse MutS homolog 4 is predominantly expressed in testis and interacts
TI
     with MutS homolog 5
     Her, Chengtao; Wu, Xiling; Bailey, Susan M.; Doggett, Norman A.
ΑU
CS
     Bioscience Division, Los Alamos National Laboratory, Los Alamos, NM,
     87545, USA
SO
     Mammalian Genome (2001), 12(1), 73-76
     CODEN: MAMGEC; ISSN: 0938-8990
PB
     Springer-Verlag New York Inc.
     Journal
DT
LΑ
     English
     6-3 (General Biochemistry)
CC
     Section cross-reference(s): 3, 13
     We have isolated and characterized a cDNA that encodes the mouse ortholog
AB
     of the human hMSH4. Both Northern and mRNA dot blot analyses indicate
     that mouse Msh4 is expressed predominantly in testis. Mouse Msh4 protein
     specifically interacts with Msh5 protein -- suggesting these two proteins
     might function in the same biol. pathway during meiosis. Besides their
     involvement in DNA mismatch repair, mouse Mlh1 and Pms2 also play
     functional roles in meiosis. Whether the function of Msh4 is restricted
     to meiosis and whether it assocs. with Mlh1 and/or Pms2 during meiosis
     remain to be clarified in future studies.
ST
     mouse MutS homolog 4 interaction testis mRNA; sequence cDNA protein mouse
     MutS homolog Msh4
IT
     Proteins, specific or class
```

RL: BPR (Biological process); BSU (Biological study, unclassified); PRP

```
(Properties); BIOL (Biological study); PROC (Process)
        (MSH4; mouse MutS homolog 4 is predominantly expressed in testis and
        interacts with MutS homolog 5)
IT
     Proteins, specific or class
     RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
     (Biological study); PROC (Process)
        (MSH5; mouse MutS homolog 4 is predominantly expressed in testis and
        interacts with MutS homolog 5)
IT
     Molecular recognition
     Mouse
     Protein sequences
     Testis
     cDNA sequences
        (mouse MutS homolog 4 is predominantly expressed in testis and
        interacts with MutS homolog 5)
IT
     mRNA
     RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
     BIOL (Biological study); OCCU (Occurrence)
        (mouse MutS homolog 4 is predominantly expressed in testis and
        interacts with MutS homolog 5)
     374643-81-9, Protein MSH4 (mouse strain BALB/c)
IT
     RL: BPR (Biological process); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); PROC (Process)
        (amino acid sequence; mouse MutS homolog 4 is predominantly expressed
        in testis and interacts with MutS homolog 5
IT
     325950-58-1, GenBank AF298655
     RL: BPR (Biological process); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); PROC (Process)
        (nucleotide sequence; mouse MutS homolog 4 is predominantly expressed
        in testis and interacts with MutS homolog 5
              THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
       19
RE
(1) Baker, S; Cell 1995, V82, P309 CAPLUS
(2) Baker, S; Nat Genet 1996, V13, P336 CAPLUS
(3) Bocker, T; Cancer Res 1999, V59, P816 CAPLUS
(4) Buermeyer, A; Annu Rev Genet 1999, V33, P533 CAPLUS
(5) deVries, S; Genes Dev 1999, V13, P523 CAPLUS
(6) Edelmann, W; Nat Genet 1999, V21, P123 CAPLUS
(7) Her, C; Genomics 1998, V52, P50 CAPLUS
(8) Her, C; Mamm Genome 1999, V10, P1054 CAPLUS
(9) Hollingsworth, N; Genes Dev 1995, V9, P1728 CAPLUS
(10) Johnson, R; J Biol Chem 1996, V271, P7285 CAPLUS
(11) Kolodner, R; Genes Dev 1996, V10, P1433 CAPLUS
(12) Marsischky, G; Genes Dev 1996, V10, P407 CAPLUS
(13) New, L; Mol Gen Genet 1993, V239, P97 CAPLUS
(14) Paquis-Flucklinger, V; Genomics 1997, V44, P188 CAPLUS
(15) Pochart, P; J Biol Chem 1997, V272, P30345 CAPLUS (16) Ross-Macdonald, P; Cell 1994, V79, P1069 CAPLUS
(17) Santucci-Darmanin, S; Mamm Genome 1999, V10, P423 CAPLUS
(18) Winand, N; Genomics 1998, V53, P69 CAPLUS
(19) Zalevsky, J; Genetics 1999, V153, P1271 CAPLUS
L16 ANSWER 3 OF 25 CAPLUS COPYRIGHT 2002 ACS
                                                         DUPLICATE 2
AN
     2000:441556 CAPLUS
DN
     133:72491
     Knockout mice with MSH5 gene deleted and their uses
TI
IN
     Edelmann, Winfried; Kolodner, Richard D.; Pollard, Jeffrey W.;
     Kucherlapati, Raju S.
PA
     Albert Einstein College of Medicine, USA; Dana-Farber Cancer Institute
SO
     PCT Int. Appl., 44 pp.
     CODEN: PIXXD2
DT
     Patent
LΑ
     English
```

```
C07K014-82; A61K049-00; C12N005-10; G01N033-50; A61K038-17;
          C12Q001-68
     14-1 (Mammalian Pathological Biochemistry)
CC
FAN.CNT 1
     PATENT NO.
                      KIND DATE
                                           APPLICATION NO. DATE
                            _____
                      ____
                                            WO 1999-US30958 19991222
                            20000629
PI
     WO 2000036910
                       A1
         W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
             CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
             MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ,
             BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                                             19991222
                       A1 20011010
                                           EP 1999-967642
     EP 1139732
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
PRAI US 1998-113487P
                      Р
                            19981222
     WO 1999-US30958
                       W
                            19991222
     An animal, e.g., transgenic mouse, in which the MSH5 gene is misexpressed.
AB
     The animal is useful for screening treatments for a no. of conditions.
     Methods for identifying contraceptive agents are also described.
     Heterozygous and homozygous knockout mice were constructed by std. methods
     of stem cell transformation and breeding. Homozygous knockout mice were
     sterile. Males show normal development of Leydig and Sertoli cells but no
     pachytene spermatocytes. Females did not show estrous and did not mate.
     MSH5 gene knockout mouse fertility; ovary spermatogenesis MSH5 gene
ST
     knockout mouse
IT
     Gene, animal
     RL: BSU (Biological study, unclassified); BIOL (Biological study)
        (MSH5 (MutS homolog 5); knockout mice
        with MSH5 gene deleted and their uses)
ΙT
        (MSH5 gene and development of; knockout mice with MSH5 gene deleted and
        their uses)
IT
     Spermatogenesis
        (MSH5 gene and; knockout mice with MSH5 gene deleted and their uses)
IT
     Fertility
        (agents for, MSH5 knockout mice in screening for; knockout mice with
        MSH5 gene deleted and their uses)
IT
     Fertility
        (disorder, in MSH5 knockout mice; knockout mice with MSH5 gene deleted
        and their uses)
IT
     Mouse
        (knockout mice with MSH5 gene deleted and their uses)
     278810-64-3, 1: PN: WO0036910 SEQID: 1 unclaimed DNA 278810-65-4, 2: PN:
ΙT
                                       278810-66-5, 3: PN: WO0036910 SEQID: 3
     WO0036910 SEQID: 2 unclaimed DNA
                     278810-67-6, 4: PN: WO0036910 SEQID: 4 unclaimed DNA
     unclaimed DNA
     RL: PRP (Properties)
        (unclaimed nucleotide sequence; knockout mice with MSH5 gene deleted
        and their uses)
              THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
(1) Bawa, S; Cancer Research 1997
(2) Dana Farber Cancer Inst Inc; WO 9901550 A 1999 CAPLUS
(3) de Vries, S; Genes & Development 1999, V13(5), P523 CAPLUS
(4) Edelmann, W; Cell V85(7), P1125 CAPLUS
(5) Hollingsworth, N; Genes & Development 1995, V9(14), P1728 CAPLUS
(6) Pochart, P; Journal of Biological Chemistry 1997, V272(48), P30345 CAPLUS
(7) Ross-McDonald, P; Cell 1994, V79(6), P1069
(8) Winand, N; Genomics 1998, V53(1), P69 CAPLUS
```

IC

ICM A01K067-027

ANSWER 4 OF 25 BIOTECHDS COPYRIGHT 2002 THOMSON DERWENT AND ISI L16 AN 2000-11710 BIOTECHDS New transgenic mouse comprising a misexpressed MutS ΤI homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. disorders; involving vector-mediated MutS-5 gene transfer for expression in mouse Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S ΑU Albert-Einstein-Coll.Med.; Dana-Farber-Cancer-Inst. PΑ Bronx, NY, USA; Boston, MA, USA. LO WO 2000036910 29 Jun 2000 PΙ ΑI WO 1999-US30958 22 Dec 1999 PRAI US 1998-113487 22 Dec 1998 DTPatent LΑ English os WPI: 2000-442485 [38] A transgenic mouse comprising a misexpressed MutS AΒ homolog 5 (MHS5) gene is claimed. Also claimed are: a method of evaluating a fertility treatment; a method for identifying a compound which modulates the activity of MSH5; and a method of identifying a subject having or at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The MSH5 gene is disrupted by removal of DNA encoding all or part of the MSH5 protein. The animal is homozygous or heterozygous for the disrupted gene. The disruption is an insertion or a deletion. In the method, the treatment is evaluated in vivo or in vitro. (39pp) D PHARMACEUTICALS; D5 Other Pharmaceuticals; D PHARMACEUTICALS; D7 CC Clinical Genetic Techniques; A GENETIC ENGINEERING AND FERMENTATION; A1 Nucleic Acid Technology TRANSGENIC MOUSE CONSTRUCTION, VECTOR-MEDIATED MUTS-5 GENE TRANSFER, CTEXPRESSION IN MOUSE CELL, ANTISENSE, ANTIBODY, EMBRYONIC STEM CELL, BLASTOCYTE, APPL., DRUG SCREENING, FERTILITY THERAPY TESTING CONTRACEPTIVE TRANSGENIC ANIMAL MAMMAL (VOL.19, NO.20) ANSWER 5 OF 25 SCISEARCH COPYRIGHT 2002 ISI (R) 2000:777481 SCISEARCH AN The Genuine Article (R) Number: 362EZ GA ΤI Caenorhabditis elegans msh-5 is required for both normal and radiation-induced meiotic crossing over but not for completion of meiosis AU Kelly K O; Dernburg A F; Stanfield G M; Villeneuve A M (Reprint) STANFORD UNIV, SCH MED, DEPT DEV BIOL, BECKMAN CTR, 279 CAMPUS DR, B300, CS STANFORD, CA 94305 (Reprint); STANFORD UNIV, SCH MED, DEPT DEV BIOL, BECKMAN CTR, STANFORD, CA 94305; STANFORD UNIV, SCH MED, DEPT GENET, STANFORD, CA 94305 CYA USA GENETICS, (OCT 2000) Vol. 156, No. 2, pp. 617-630. Publisher: GENETICS, 428 EAST PRESTON ST, BALTIMORE, MD 21202. ISSN: 0016-6731. DΤ Article; Journal FS LIFE; AGRI LΑ English REC Reference Count: 62 Crossing over and chiasma formation during Caenorhabditis elegans AB meiosis require msh-5 which encodes a conserved germline-specific MutS family member, msh-5 mutant oocytes lack chiasmata between homologous chromosomes, and crossover frequencies are severely reduced in both oocyte and spermatocyte meiosis. Artificially induced DNA breaks do not bypass the requirement for msh-5, suggesting that msh-5 functions after the initiation step of meiotic recombination. msh-5 mutants are apparently

competent to repair breaks induced during meiosis, but accomplish repair in a way that does not lead to crossovers between homologs. These results combine with data from budding yeast to establish a conserved role for Msh5 proteins in promoting the crossover outcome of meiotic recombination events. Apart from the crossover deficit, progression through meiotic prophase is largely unperturbed in msh-5 mutants. Homologous chromosomes are fully aligned at the pachytene stage, and germ cells survive to complete meiosis and gametogenesis with high efficiency. Our demonstration that artificially induced breaks generate crossovers and chiasmata using the normal meiotic recombination machinery suggests (1) that association of breaks with a preinitiation complex is not a prerequisite for entering the meiotic recombination path way and (2) that the decision for a subset of recombination events to become crossovers is made after the initiation step.

CC GENETICS & HEREDITY

RE

STP KeyWords Plus (R): DOUBLE-STRAND BREAKS; HOMOLOGOUS CHROMOSOME SYNAPSIS; SACCHAROMYCES-CEREVISIAE; MISMATCH REPAIR; MUTS HOMOLOG
-5; BUDDING YEAST; C-ELEGANS; RECOMBINATION; GENE; SP011

RE				
Referenced Author	Year	VOL	PG	Referenced Work
(RAU)				(RWK)
*C EL SEQ CONS ALANI E ALANI E	11998	282	2012	SCIENCE
ALANI E	1996	16	15604	MOL CELL BIOL
ALANI E	1997	17	12436	MOL CELL BIOL
BERGERAT A	1997	386	414	NATURE
BOCKER T	1999	59	816	CANCER RES
ALANI E BERGERAT A BOCKER T BRENNER S CAO L CERVANTES M D CHU S	1974	77	71	GENETICS
CAO L	1990	61	1089	CELL
CERVANTES M D	12000	5	1883	MOL CELL
CHU S	1998	282	699	SCIENCE CELL
DERNBURG A F	1999		125	CHROMOSOME STRUCTURA
DERNBURG A F	12000	14	1578	CHROMOSOME STRUCTURA GENE DEV GENE DEV
DEVRIES S S	1999	13	1523	GENE DEV
DERNBURG A F DERNBURG A F DEVRIES S S DURBIN R EDELMANN W	1991		1	C ELEGANS DATABASE D
EDELMANN W	1999	21	123	C ELEGANS DATABASE D NAT GENET
DURBIN R EDELMANN W EISEN J A EPSTEIN H F GARTNER A GEISEL T S GILBERTSON L A GUMIENNY T L HABER L T	1998	26	4291	NUCLEIC ACIDS RES
EPSTEIN H F	11995	Ì	Ì	CAENORHABDITIS ELEGA
GARTNER A	12000	15	435	CAENORHABDITIS ELEGA MOL CELL
GEISEL T S	1960	İ	ĺ	IGREEN EGGS HAM
GILBERTSON L A	i 1996	1144	127	GENETICS
GUMIENNY T L	i 1999	1126	1011	DEVELOPMENT
HABER L T	i 1991	10	12707	EMBO J J BACTERIOL
HABER L T	11988	170	1197	J BACTERIOL
HASTINGS P J	11988	9	61	BIOESSAYS
HAWLEY R S	11988	İ	1497	BIOESSAYS GENETIC RECOMBINATIO
HABER L T HASTINGS P J HAWLEY R S HER C HER C T HERMAN R K HODGKIN J	11998	i 52	150	GENOMICS MAMM GENOME GENETICS
HER C T	11999	110	11054	MAMM GENOME
HERMAN R K	11982	1102	1379	GENETICS
HODGKIN J	11979	191	167	GENETICS
HOLLINGSWORTH N M	11995	19	11728	GENETICS GENE DEV
JONES G H	11987	i ·	213	MEIOSIS
KEENEY S	11997	188	1375	ICELL
KEENEY S KLAPHOLZ S	11985	1110	1187	CELL GENETICS
KOSTRIKEN D				
KOSTRIKEN R	11984	149	189	CELL COLD SPRING HARB SYM
KOSTRIKEN R LIN Y K	11004	1136	1760	GENETICS
	11006	11/2	1741	LCENETICS
MCGILL C	11000	1 5 7	1/50	GENETICS CELL
MCKIM K S	11000	112	12022	GENE DEV
MCVIM V C	11000	1270	12332	SCIENCE
MCKIM K S				EMBO J
110000				
NICOLL M	11997	1388	1200	NATURE MICROBIOL MOL BIOL R
PAQUES F	1999	63	349	INTCROBIOT WOT BIOT B

```
1407
                                           |MOL CELLULAR BIOL YE
                       |1991 |
PETES T D
                                    1697
                                           |MOL CELL
PITTMAN D L
                       |1998 |1
                       |1997 |272
                                    |30345 |J BIOL CHEM
POCHART P
                       |1997 |2
                                           |C ELEGANS
RIDDLE D L
                                    1
                       |1997 |11
                                    12600
                                           IGENE DEV
ROEDER G S
ROSSMACDONALD P
                       |1994 |79
                                    11069
                                           CELL
                                           |MOL CLONING LAB MANU
                       |1989 |
SAMBROOK J
                                    |241
                       |1997 | |2
                                           |C ELEGANS
SCHEDL T
                       |1996 |93
                                    19043
                                           |P NATL ACAD SCI USA
STORLAZZI A
SUN H
                       |1989 |338
                                    187
                                           INATURE
                       |1993 | | 134
                                    129
                                           |GENETICS
THORNE L W
                       |1994 |136
                                    1887
                                           | GENETICS
VILLENEUVE A M
WEINERT T
                       |1989 |12
                                    1145
                                           | J CELL SCI S
                       |1992 |131
                                   1609
                                           IGENETICS
WILLIAMS B D
WINAND N J
                       |1998 |53
                                    169
                                           | GENOMICS
WOOD W B
                       |1988 |
                                           INEMATODE CAENORHABDI
                                    707
                       |1998 |1
YOSHIDA K
                                           |MOL CELL
                                           |GENETICS
                       |1999 |153 |1271
ZALEVSKY J
                                    12258
ZETKA M C
                       |1999 |13
                                          GENE DEV
```

L16 ANSWER 6 OF 25 CAPLUS COPYRIGHT 2002 ACS DUPLICATE 3

AN 1999:760873 CAPLUS

DN 132:261227

TI Identification and characterization of the mouse MutS homolog 5: Msh5

AU Her, Chengtao; Wu, Xiling; Wan, Wei; Doggett, Norman A.

CS Life Sciences Division, Los Alamos National Laboratory, Los Alamos, NM, 87545, USA

SO Mammalian Genome (1999), 10(11), 1054-1061 CODEN: MAMGEC; ISSN: 0938-8990

PB Springer-Verlag New York Inc.

DT Journal

LA English

CC 3-3 (Biochemical Genetics)

Section cross-reference(s): 6, 13

We have identified and characterized the complete cDNA and gene for the AΒ mouse MutS homolog 5 (Msh5), as a step toward understanding the mol. genetic mechanisms involved in the biol. function of this new MutS homologous protein in mammals. The Msh5 cDNA contains a 2502-bp open reading frame (ORF) that encodes an 833-amino acid protein with a predicted mol. wt. of 92.6 kDa, which shares 89.8% amino acid sequence identity with the human hMSH5 protein. Northern blot anal. demonstrated the presence of a Msh5 mRNA approx. 2.9-kb in length, most abundantly expressed in mouse testis. Yeast two-hybrid anal. indicated that the mouse Msh5 protein pos. interacted with the human hMSH4 protein-suggesting that Msh5 shares common functional properties with its human counterpart. Sequence and structural analyses show that the mouse gene Msh5 spans approx. 18 kb and contains 24 exons that range in length from 36 bp for exon 7 to 392 bp for exon 1. Structural comparison with the human hMSH5 gene revealed that all of the Msh5 internal exons, but not introns, are conserved in length with the human hMSH5. The Msh5 gene is located on mouse Chromosome (Chr) 17 in a location that is syntenic to the region of human Chr 6 harboring the hMSH5 gene. The identification and characterization of Msh5 will facilitate studies of the potential functional roles of this new member of the MutS family.

ST mouse MutS homolog Msh5 cDNA sequence; gene Msh5 mapping expression mouse

IT Proteins, specific or class

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(MSH4, mouse Msh5 protein interacted with human; identification and characterization of mouse **MutS homolog 5**: Msh5)

Proteins, specific or class
RL: BSU (Biological study, unclassified); PRP (Properties); BIOL
(Biological study)

```
(Msh5 (mouse MutS homolog 5);
        identification and characterization of mouse MutS
        homolog 5: Msh5)
ΙT
     Testis
        (Msh5 most abundantly expressed in; identification and characterization
        of mouse MutS homolog 5: Msh5)
IT
     Genetic mapping
        (Msh5, structure and localization on mouse chromosome 17;
        identification and characterization of mouse MutS
        homolog 5: Msh5)
ΙT
     RL: BOC (Biological occurrence); BSU (Biological study, unclassified);
     BIOL (Biological study); OCCU (Occurrence)
        (Msh5, tissue distribution; identification and characterization of
        mouse MutS homolog 5: Msh5)
IT
     Proteins, specific or class
     RL: BSU (Biological study, unclassified); BIOL (Biological study)
        (MutS; identification and characterization of mouse MutS
        homolog 5: Msh5)
     cDNA sequences
IT
        (for Msh5 protein of mouse; identification and characterization of
        mouse MutS homolog 5: Msh5)
IT
        (identification and characterization of mouse MutS
        homolog 5: Msh5)
IT
     Chromosome
        (mouse 17, Msh5 gene mapped to, syntenic to human Msh5; identification
        and characterization of mouse MutS homolog
        5: Msh5)
IT
     Protein sequences
        (of Msh5 protein of mouse; identification and characterization of mouse
        MutS homolog 5: Msh5)
IT
     219780-09-3, Protein (mouse gene MSH5)
     RL: BSU (Biological study, unclassified); PRP (Properties); BIOL
     (Biological study)
        (amino acid sequence; identification and characterization of mouse
        MutS homolog 5: Msh5)
IT
     248227-79-4, GenBank AF146227
     RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); OCCU (Occurrence)
        (nucleotide sequence; identification and characterization of mouse
        MutS homolog 5: Msh5)
RE.CNT
              THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Acharya, S; Proc Natl Acad Sci USA 1996, V93, P13629 CAPLUS
(2) Akiyama, Y; Cancer Res 1997, V57, P3920 CAPLUS
(3) Alani, E; Mol Cell Biol 1997, V17, P2436 CAPLUS
(4) Altschul, S; J Mol Biol 1990, V215, P403 CAPLUS
(5) Baker, S; Cell 1995, V82, P309 CAPLUS
(6) Baker, S; Nat Genet 1996, V13, P336 CAPLUS
(7) Bawa, S; Cancer Res 1997, V57, P2715 CAPLUS
(8) Bocker, T; Cancer Res 1999, V59, P816 CAPLUS
(9) Boguski, M; Nat Genet 1995, V10, P369 CAPLUS
(10) Borresen, A; Hum Mol Genet 1995, V4, P2065 MEDLINE
(11) Corradi, A; Genomics 1996, V36, P288 CAPLUS
(12) de Vries, S; Genes Dev 1999, V13, P523 CAPLUS
(13) Devereux, J; Nucleic Acids Res 1984, V12, P387 CAPLUS
(14) Edelmann, W; Nat Genet 1999, V21, P123 CAPLUS
(15) Fishel, R; Cell 1993, V75, P1027 CAPLUS
(16) Fishel, R; Curr Opin Gene Dev 1997, V7, P105 CAPLUS
(17) Frohman, M; No Publication Given 1988
L16 ANSWER 7 OF 25 CAPLUS COPYRIGHT 2002 ACS
                                                       DUPLICATE 4
AN
     1999:53111 CAPLUS
DN
     130:220968
```

```
ΤI
      Mammalian MutS homolog 5 is required for
       chromosome pairing in meiosis
 ΑU
       Edelmann, Winfried; Cohen, Paula E.; Kneitz, Burkhard; Winand, Nena; Lia,
      Marie; Heyer, Joerg; Kolodner, Richard; Pollard, Jeffrey W.; Kucherlapati,
 CS
       Department of Cell Biology, Albert Einstein College of Medicine, Bronx,
      NY, 10461, USA
      Nature Genetics (1999), 21(1), 123-127
حر
So
      CODEN: NGENEC; ISSN: 1061-4036
 PB
      Nature America
 DT
      Journal
 LΑ
      English
 CC
      13-6 (Mammalian Biochemistry)
 AB
      MSH5 (Muts homolog 5) is a member of a
       family of proteins known to be involved in DNA mismatch repair. Germline
      mutations in MSH2, MLH1 and GTBP (also known as MSH6) cause hereditary
      non-polyposis colon cancer (HNPCC) or Lynch syndrome. Inactivation of
      Msh2, Mlh1, Gtmbp (also known as Msh6) or Pms2 in mice leads to hereditary
      predisposition to intestinal and other cancers. Early studies in yeast
      revealed a role for some of these proteins, including Msh5, in meiosis.
      Gene targeting studies in mice confirmed roles for Mlh1 and Pms2 in
      mammalian meiosis. To assess the role of Msh5 in mammals, we generated
      and characterized mice with a null mutation in Msh5. Msh5-/- mice are
      viable but sterile. Meiosis in these mice is affected due to the
      disruption of chromosome pairing in prophase I. We found that this
      meiotic failure leads to a diminution in testicular size and a complete
      loss of ovarian structures. Our results show that normal Msh5 function is
      essential for meiotic progression and, in females, gonadal maintenance.
 ST
      Msh5 protein chromosome pairing meiosis spermatogenesis oogenesis testis
 ΙT
      Gene, animal
      RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
       (Biological study); PROC (Process)
          (Msh5 (MutS homolog 5); mammalian (mouse)
         MutS homolog 5 (Msh5) is required for
         chromosome pairing in meiosis, maintenance of testicular size and
          presence of ovarian structures)
 ΙT
      Sperm
          (depletion in Msh5-/- mice; mammalian (mouse) Muts
         homolog 5 (Msh5) is required for chromosome pairing
          in meiosis, maintenance of testicular size and presence of ovarian
          structures)
 ·IT
      Oogenesis
      Spermatogenesis
          (disruption in Msh5-/- mice; mammalian (mouse) MutS
         homolog 5 (Msh5) is required for chromosome pairing
         in meiosis, maintenance of testicular size and presence of ovarian
          structures)
 IT
      Proteins, specific or class
      RL: BAC (Biological activity or effector, except adverse); BSU (Biological
      study, unclassified); BIOL (Biological study)
          (gene Msh5 (MutS homolog 5); mammalian
          (mouse) MutS homolog 5 (Msh5) is required
          for chromosome pairing in meiosis, maintenance of testicular size and
         presence of ovarian structures)
 ΙT
      Sterility
          (in Msh5-/- mice; mammalian (mouse) MutS homolog
          5 (Msh5) is required for chromosome pairing in meiosis,
         maintenance of testicular size and presence of ovarian structures)
 IT
      Ovary
      Testis
          (mammalian (mouse) MutS homolog 5 (Msh5)
          is required for chromosome pairing in meiosis, maintenance of
          testicular size and presence of ovarian structures)
 ΙŢ
      Egg
```

(oocyte, depletion in Msh5-/- mice; mammalian (mouse) MutS homolog 5 (Msh5) is required for chromosome pairing in meiosis, maintenance of testicular size and presence of ovarian structures) ΙT Chromosome (pairing of; mammalian (mouse) MutS homolog 5 (Msh5) is required for chromosome pairing in meiosis, maintenance of testicular size and presence of ovarian structures) IT Meiosis (prophase, I, chromosome pairing in; mammalian (mouse) MutS homolog 5 (Msh5) is required for chromosome pairing in meiosis, maintenance of testicular size and presence of ovarian structures) RE.CNT THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD RE. (1) Akiyama, Y; Cancer Res 1997, V57, P3920 CAPLUS (2) Baker, S; Cell 1995, V82, P309 CAPLUS (3) Baker, S; Nature Genet 1996, V13, P336 CAPLUS (4) Bronner, C; Nature 1994, V368, P258 CAPLUS (5) Counce, S; Chromosoma 1973, V44, P231 MEDLINE (6) de Wind, N; Cell 1995, V82, P321 CAPLUS (7) Edelmann, W; Cell 1996, V85, P1125 CAPLUS (8) Edelmann, W; Cell 1997, V91, P467 CAPLUS (9) Enders, G; Dev Biol 1994, V163, P331 CAPLUS (10) Fishel, R; Cell 1993, V75, P1027 CAPLUS (11) Hollingsworth, N; Genes Dev 1995, V9, P1728 CAPLUS (12) Ioffe, E; Proc Natl Acad Sci USA 1995, V92, P7357 CAPLUS (13) Kolodner, R; Genes Dev 1996, V10, P1433 CAPLUS (14) Leach, F; Cell 1993, V75, P1215 CAPLUS (15) McDonough, P; Pediatr Clin North Am 1972, V19, P631 MEDLINE (16) Miyaki, M; Nature Genet 1997, V17, P271 CAPLUS (17) Modrich, P; Annu Rev Biochem 1996, V65, P101 CAPLUS (18) Moens, P; Curr Top Dev Biol 1998, V37, P241 CAPLUS (19) Papadopoulos, N; Science 1994, V263, P1625 CAPLUS (20) Pittman, D; Mol Cell 1998, V1, P697 CAPLUS (21) Plug, A; J Cell Science 1998, V111, P413 CAPLUS (22) Plug, A; Proc Natl Acad Sci USA 1996, V93, P5920 CAPLUS (23) Prolla, T; Mol Cell Biol 1994, V14, P407 CAPLUS (24) Reitmair, A; Nature Genet 1995, V11, P64 CAPLUS

Cloning, structural characterization, and chromosomal localization of the

Life Sci. Div., Cent. Human Genome Studies, Los Alamos Natl. Lab., Los

We have cloned and characterized the human ortholog of the Saccharomyces

well as the human gene that encodes the MSH5 cDNA, as a step toward understanding the mol. genetic mechanisms involved in the biol. function

(25) Ross-Macdonald, P; Cell 1994, V79, P1069 CAPLUS

(27) Spyropoulos, B; Methods Mol Biol 1994, V33, P131 CAPLUS (28) Wassarman, P; Annu Rev Biochem 1988, V57, P415 CAPLUS

human orthologue of Saccharomyces cerevisiae MSH5 gene

(26) Singh, R; Anat Rec 1966, V155, P369

1998:632659 CAPLUS

Alamos, NM, 87545, USA

Academic Press

130:1059

Journal

English

AN

DN

ΤI

ΑU

CS

PB

DT

LΑ

CC

ΑB

(29) Winand, N; Genomics 1998, V53, P69 CAPLUS (30) Yoshida, K; Mol Cell 1998, V1, P707 CAPLUS

L16 ANSWER 8 OF 25 CAPLUS COPYRIGHT 2002 ACS

Her, Chengtao; Doggett, Norman A.

Section cross-reference(s): 6, 13

cerevisiae MutS homolog 5 (MSH5) cDNA, as

Genomics (1998), 52(1), 50-61 CODEN: GNMCEP; ISSN: 0888-7543

3-3 (Biochemical Genetics)

of this novel human protein. The identified cDNA contains a 2505-bp open reading from (ORF) that encodes an 834-amino-acid polypeptide with a predicted mol. mass of 92.9 kDa. The amino acid sequence encoded by this cDNA includes sequence motifs that are conserved in all known MutS homologs existing in bacteria to humans. The cDNA appears, on the basis of amino acid sequence anal., to be a member of the MutS family and shares 30% sequence identity with that of S. cerevisiae MSH5, a yeast gene that plays a crit. role in facilitating crossover during meiosis. Northern blot anal. demonstrated the presence of a 2.9-kg human MSH5 mRNA species in all human tissues tested, but the highest expression was in human testis, an organ contq. cells that undergo const. DNA synthesis and meiosis. The expression pattern of human MSH5 resembled that of the previously identified human MutS homologs MSH2, MSH3, and MSH6-genes that are involved in the pathogenesis of hereditary nonpolyposis colorectal cancer (HNPCC). In an effort to expedite the search for potential disease assocn. with this new human MutS homolog, we have also detd. the chromosomal location and structure of the human MSH5 locus. Sequence and structural characterization demonstrated that MSH5 spans approx. 25 kb and contains 26 exons that range in length from $36 \cdot bp$ for exon 8 to 254 bp for exon 25. MSH5 has been mapped to human chromosome band 6p21.3 by fluorescence in situ hybridization. Knowledge of the sequence and gene structure of MSH5 will now enable studies of the possible roles MSH5 may play in meiosis and/or DNA replicative mismatch repair. (c) 1998 Academic chromosome 6 mapping human gene MSH5 protein sequence

ST

Gene, animal ΙT

> RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)

(MSH5; cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT DNA sequences

Genetic mapping

Protein motifs

Protein sequences

Testis

cDNA sequences

(cloning, structural characterization, and chromosomal localization of human gene MSH5)

ITmRNA

> RL: BOC (Biological occurrence); BSU (Biological study, unclassified); BIOL (Biological study); OCCU (Occurrence)

(cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT

(expression; cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT Proteins, specific or class

RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)

(gene MSH5; cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT Chromosome

> (human 6; cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT Genetic element

RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)

(tsp (transcription start point); cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT 215797-75-4

> RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)

(amino acid sequence; cloning, structural characterization, and chromosomal localization of human gene MSH5)

IT 207662-23-5, GenBank AF048986 207662-24-6, GenBank AF048987

```
207662-26-8, GenBank AF048989
     207662-25-7, GenBank AF048988
     207662-27-9, GenBank AF048990
                                    207662-28-0, GenBank AF048991
     RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); OCCU (Occurrence)
        (nucleotide sequence; cloning, structural characterization, and
        chromosomal localization of human gene MSH5)
              THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
(1) Acharya, S; Proc Natl Acad Sci USA 1996, V93, P13629 CAPLUS
(2) Alani, E; Mol Cell Biol 1997, V17, P2436 CAPLUS
(3) Altschul, S; J Mol Biol 1990, V215, P403 CAPLUS
(4) Antequera, F; Proc Natl Acad Sci USA 1993, V90, P11995 CAPLUS
(5) Bird, A; Trends Genet 1987, V3, P342 CAPLUS(6) Boguski, M; Nat Genet 1995, V10, P369 CAPLUS
(7) Borresen, A; Hum Mol Genet 1995, V4, P2065 MEDLINE
(8) Cross, S; Nat Genet 1994, V6, P236 CAPLUS
(9) Devereux, J; Nucleic Acids Res 1984, V12, P387 CAPLUS
(10) Fishel, R; Cell 1993, V75, P1027 CAPLUS
(11) Fishel, R; Curr Opin Gene Dev 1997, V7, P105 CAPLUS
(12) Frohman, M; Proc Natl Acad Sci USA 1988, V85, P8998 CAPLUS
(13) Fujii, H; J Biol Chem 1989, V264, P10057 CAPLUS
(14) Garnier, J; J Mol Biol 1978, V120, P97 CAPLUS
(15) Gradia, S; Cell 1997, V91, P995 CAPLUS
(16) Greenblatt, M; Cancer Res 1994, V54, P4855 CAPLUS
(17) Gribskov, M; Proc Natl Acad Sci USA 1987, V84, P4355 CAPLUS
(18) Guttenbach, M; Hum Genet 1997, V100, P1 MEDLINE
(19) Haber, L; EMBO J 1991, V10, P2707 CAPLUS
(20) Her, C; Genomics 1995, V29, P16 CAPLUS
(21) Hollingsworth, N; Genes Dev 1995, V9, P1728 CAPLUS
(22) Johnson, R; J Biol Chem 1996, V271, P7285 CAPLUS
(23) Kane, M; Cancer Res 1997, V57, P808 CAPLUS
(24) Kolodner, R; Genes Dev 1996, V10, P1433 CAPLUS
(25) Kolodner, R; Genomics 1994, V24, P516 CAPLUS
(26) Larsen, F; Genomics 1992, V13, P1095 CAPLUS
(27) Liu, B; Cancer Res 1994, V54, P4590 CAPLUS
(28) Liu, B; Nat Genet 1995, V9, P48 CAPLUS
(29) Liu, B; Nat Med 1996, V2, P169 CAPLUS
(30) Marsischky, G; Genes Dev 1996, V10, P407 CAPLUS
(31) Mizobuchi, M; BioTechniques 1993, V15, P215
(32) Modrich, P; Annu Rev Genet 1991, V25, P229 CAPLUS
(33) Mount, S; Nucleic Acids Res 1982, V10, P459 CAPLUS
(34) New, L; Mol Gen Genet 1993, V239, P97 CAPLUS
(35) Palombo, F; Science 1995, V268, P1912 CAPLUS
(36) Paquis-Flucklinger, V; Genomics 1997, V44, P188 CAPLUS
(37) Pochart, P; J Biol Chem 1997, V272(48), P30345 CAPLUS
(38) Reenan, R; Genetics 1992, V132, P963 CAPLUS
(39) Ross-Macdonald, P; Cell 1994, V79, P1069 CAPLUS
(40) Schlensog, V; J Bacteriol 1991, V173, P7414 CAPLUS
(41) Su, S; Proc Natl Acad Sci USA 1986, V83, P5057 CAPLUS
(42) Thibodeau, S; Science 1993, V260, P816 CAPLUS
(43) Watanabe, A; Genomics 1996, V31, P311 CAPLUS
(44) Wilson, T; Cancer Res 1995, V55, P5146 CAPLUS
    ANSWER 9 OF 25 CAPLUS COPYRIGHT 2002 ACS
                                                        DUPLICATE 5
    1995:720723 CAPLUS
    123:164939
    MSH5, a novel MutS homolog, facilitates meiotic reciprocal recombination
    between homologs in Saccharomyces cerevisiae but not mismatch repair
    Hollingsworth, Nancy Marie; Ponte, Lisa; Halsey, Carol
    Dep. Biochemistry and Cell Biology, State Univ. New York, Stony Brook, NY,
    11794-5215, USA
    Genes Dev. (1995), 9(14), 1728-39
    CODEN: GEDEEP; ISSN: 0890-9369
    Journal
```

RE

ΑN DN

TI

ΑU

CS

SO

DT

LA

English

```
10-4 (Microbial, Algal, and Fungal Biochemistry)
CC
     Section cross-reference(s): 3
     Using a screen designed to identify yeast mutants specifically defective
AB
     in recombination between homologous chromosomes during meiosis, new
     alleles of the meiosis-specific genes HOP1, RED1, and MEK1 were obtained.
     In addn., the screen identified a novel gene designated MSH5 (Muts
     homolog 5). Although Msh5p exhibits strong homol. to
     the MutS family of proteins, it is not involved in DNA mismatch repair.
     Diploids lacking the MSH5 gene display decreased levels of spore
     viability, increased levels of meiosis I chromosome nondisjunction, and
     decreased levels of reciprocal exchange between, but not within, homologs.
     Gene conversion is not reduced. Msh5 mutants are phenotypically similar
     to mutants in the meiosis-specific gene MSH4. Double mutant anal. using
     msh4 msh5 diploids demonstrates that the 2 genes are in the same epistasis
     group and therefore are likely to function in a similar process - namely,
     the facilitation of interhomolog crossovers during meiosis.
     meiosis recombination gene MSH5 Saccharomyces
ST
     Meiosis
IT
     Recombination, genetic
     Saccharomyces cerevisiae
        (MSH5 facilitates meiotic reciprocal recombination between homologs in
        Saccharomyces cerevisiae)
IT
     Gene, microbial
     RL: PRP (Properties)
        (MSH5; MSH5 facilitates meiotic reciprocal recombination between
        homologs in Saccharomyces cerevisiae)
IT
     Protein sequences
        (of Msh5 of Saccharomyces cerevisiae)
IT
     Deoxyribonucleic acid sequences
        (of gene MSH5 of Saccharomyces cerevisiae)
IT
     167471-44-5
     RL: PRP (Properties)
        (amino acid sequence; MSH5 facilitates meiotic reciprocal recombination
        between homologs in Saccharomyces cerevisiae)
IT
     166055-59-0
     RL: PRP (Properties)
        (nucleotide sequence; MSH5 facilitates meiotic reciprocal recombination
        between homologs in Saccharomyces cerevisiae)
L16 ANSWER 10 OF 25
                          GENBANK.RTM. COPYRIGHT 2002
LOCUS (LOC):
                        AH006902
                                     GenBank (R)
GenBank ACC. NO. (GBN): AH006902
SEQUENCE LENGTH (SQL):
                        15855
                        DNA; linear
MOLECULE TYPE (CI):
                        Contiguous sequences
DIVISION CODE (CI):
DATE (DATE):
                        5 Oct 1998
                        Homo sapiens MutS homolog 5
DEFINITION (DEF):
                        (MSH5), complete cds.
                        human.
SOURCE:
 ORGANISM (ORGN):
                        Homo sapiens
                        Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                        Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;
                        Hominidae; Homo
REFERENCE:
                           (bases 1 to 15855)
   AUTHOR (AU):
                        Her, C.; Doggett, N.A.
   TITLE (TI):
                        Cloning, structural characterization, and chromosomal
                        localization of the human orthologue of Saccharomyces
                        cerevisiae MSH5 gene
   JOURNAL (SO):
                        Genomics, 52 (1), 50-61 (1998)
   OTHER SOURCE (OS):
                        CA 130:1059
REFERENCE:
                           (bases 1 to 15855)
                        Her, C.; Doggett, N.
   AUTHOR (AU):
                        Direct Submission
   TITLE (TI):
                        Submitted (18-FEB-1998) Life Sciences Divison and
   JOURNAL (SO):
```

Center for Human Genome Studies, Mail Stop: M888, Los Alamos National Laboratory, Los Alamos, NM 87545, USA

FEATURES (FEAT): Qualifier Feature Key Location /organism="Homo sapiens" 1..15855 source /db-xref="taxon:9606" /chromosome="6" /map="6p21.3" CONTIG (CONT): join(AF048988.1:1..6820, AF048989.1:1..880, AF048990.1:1..1960, AF048991.1:1..6195) L16 ANSWER 11 OF 25 GENBANK.RTM. COPYRIGHT 2002 LOCUS (LOC): AF298655 GenBank (R) GenBank ACC. NO. (GBN): AF298655 CAS REGISTRY NO. (RN): 325950-58-1 SEQUENCE LENGTH (SQL): 3356 MOLECULE TYPE (CI): mRNA; linear DIVISION CODE (CI): Rodents 5 Mar 2001 DATE (DATE): DEFINITION (DEF): Mus musculus MutS homolog 4 (Msh4) mRNA, complete cds. house mouse. SOURCE: Mus musculus ORGANISM (ORGN): Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus NUCLEIC ACID COUNT (NA): 1019 a 737 c 763 g 1 (bases 1 to 3356) REFERENCE: Her, C.; Wu, X.; Bailey, S.M.; Doggett, N.A. AUTHOR (AU): TITLE (TI): Mouse MutS homolog 4 is predominantly expressed in testis and interacts with MutS homolog 5 Mamm. Genome, 12 (1), 73-76 (2001) JOURNAL (SO): OTHER SOURCE (OS): CA 135:368128 2 (bases 1 to 3356) REFERENCE: Her, C. AUTHOR (AU): Direct Submission TITLE (TI): Submitted (23-AUG-2000) Bioscience Division, Los Alamos JOURNAL (SO): National Laboratory, Los Alamos, NM 87544, USA FEATURES (FEAT): Feature Key Location Qualifier /organism="Mus musculus" 1..3356 source /strain="BALB/c" /db-xref="taxon:10090" /chromosome="3" /tissue-type="testes" /gene="Msh4" 1..3356 gene /gene="Msh4" CDS 155..3031 /codon-start=1 /product="MutS homolog 4" /protein-id="AAK15620.1" /db-xref="GI:13195241" /translation="MCCLFLRLRDYSTAHALSLP PCQRCGLQPWSARSHARRTLGVRK AGEMLRQEAASLSSSPRWTPSRRDAPCGRTLASA SRPSTEGAMADRSSSSSSSPAPAS APGSSFGNKRSYAIHRAASSFPVGTSSSSARDTT

YPHTFRTPLSAGNPQRSGHKSWTP

QVGYSATSSAVSAHAPSVIVAVVEGRGLARGEIG

MASIDLKSPOIMLSQFADNTTYAK VITKLOVLSPLEIIMSNTACVVGNSTKLFTLITE NFKNVNFTTVQRKYFNETKGLEYI EQLCIAEFSSVLMEVQSRYYCLAAAAALLKYVEF IQNSVYAPKSLKIYFQGSEQTAMI DSSSAONLELLVNNQDYRSNHTLFGVLNYTKTAG GSRRLRSNILEPLVDVETISMRLD CVOELLODEELFFGLQSVISRFLDTEQLLSVLVQ IPKODTVNAAESKITNLIYLKHTL ELVEPLKVTLKNCSTPLLRAYYGSLEDHRFGLIL DKIKTVINDDARYMKGCLNMRTQK CYAVRSNISEFLDIARRTYTEIVDDIAGMIAQLA EKYSLPLRTSFSSSRGFFIQMTTD CAALSSDOLPSEFIKISKVKNSYSFTSADLIKMN ERCOESLREIYHMTYMIVCKLLSE IYEHIHCLYKLSDTVSMLDMLLSFAHACTLSDYV RPEFTDTLAIKOGWHPILEKISAE KPVANNTYITEGSNVLIITGPNMSGKSTYLKOIA LCOIMAOIGSYVPAEYASFRIAAQ IFTRISTDDDIETNSSTFMKEMKEIAYILHNAND KSLILIDELGRGTNTEEGIGISYA VCEHLLSIKAFTLFTTHFLELCHLDALYLNVENM **HFEVQHVKNTSRNKDAILYTYKLS** RGLTEEKNYGLKAAEASSLPSSIVLDARDITTQI TRQILQNQRSSPEMDRQRAVYHLA TRLVQAARNSQLEPDRLRTYLSNLKKKYAGDFPR AVGLPEKTEE"

SEQUENCE (SEQ):

```
1 qttaqtqqqc tataaattqt tqaqcctqqt acctaaggag tqaagaggct tacagcttcc
  61 agaatcacgt gatgagaata aaccggcaca accctggacg caaaggtgag aaactcgctg
 121 ctcacccctq aactgcgcct gcgctgtgtg catcatgtgc tgcttgttcc tgcgcctgcg
 181 cgattacagc actgcgcatg cgcttagcct cccgccttgt cagcggtgcg gcctccagcc
 241 ttggagtgct cgaagccacg cgcgcagaac cttgggagtc agaaaggccg gagagatgct
 301 gaggcaggag gctgcatcgc tttccagttc cccacgctgg acgccgtcgc ggagggatgc
 361 cccatqcqqq aqqaccctqq cctccqcqtc caggccqaqt acggaaggcg ccatggccqa
 421 caggageage ageageagea geagteegge geeggegtee gegeeaggtt cateatttgg
 481 aaacaaaaga tettatgeta tacacagage tgcatecagt tttcctgttg gtacaagete
 541 atettetgea egagatacea ettacecaca tacatttaga acteegttat etgetggaaa
 601 tocccaqaqa toaqqqoata aaaqttqqao accacaaqta qgatattcag ccacatcoto
 661 tgcgqtqtct qcacacqccc catcaqtcat tgtagcgqtg gtqqaaggaa gagggctggc
 721 cagaggggag ataggaatgg caagcattga tttaaaaagc ccacagatta tgttgtcaca
 781 gtttgcagac aatacaacat atgcaaaggt gatcactaaa ctccaagttt tatcaccttt
 841 ggaaataata atgtcaaata ctgcttgtgt tgtgggaaat tcaaccaagt tatttactct
 901 gatcacagaa aattttaaga acgttaattt cactacagtc caaaggaaat acttcaacga
 961 aacaaagggc ttagagtaca ttgagcagtt gtgcatagct gagttcagtt ctgtgctaat
1021 ggaggtgcag tccaggtatt actgccttgc agctgctgca gctttattaa agtatgtcga
1081 attcattcag aattcagtgt atgcacccaa atcgctaaag atttatttcc aaggtagtga
1141 gcagacagcc atgatagatt catcatcggc ccaaaacctg gagttgttag ttaataacca
1201 ggactacagg agtaatcaca ctctcttcgg tgttttaaat tacaccaaga ctgcgggagg
1261 gagccgaagg ctgcgctcca acatcctgga gcctctggtt gatgtggaga cgatcagcat
1321 geggetggae tgtgtecagg agetgetgea ggaegaggag etettetttg gaetecagte
1381 agtcatatca agattcctgg atacggagca gctgctttct gttttagttc aaatcccaaa
1441 qcaaqacacq qttaacqcaq ctqaatcaaa gataacaaat ttgatctatc tgaagcatac
1501 attggaactt gtggagcctt taaaggtcac cttaaagaac tgtagcacac ccctattaag
1561 agcttactat ggctccttgg aagaccatag gtttgggcta atacttgata agattaaaac
1621 aqtgataaat gatgatgcaa ggtacatgaa gggctgcctg aacatgcgga ctcagaagtg
1681 ctatgcagtg cgctctaaca tcagtgagtt cctggacata gccaggagga catacacaga
1741 gatagtggac gacatagcag gaatgatagc acagetegca gagaagtaca gtetteeeet
1801 acqqaccaqc ttcaqctcct cacqqqqqtt cttcatccaq atqaccacaq actqcqctqc
1861 actctccagt gaccagcttc cttcggagtt tattaagatt tctaaagtga aaaactcata
1921 tagctttaca tcagcagatt taattaaaat gaatgaaaga tgccaagagt ctttgcgaga
1981 aatctatcac atgacctaca tgatagtgtg caaactgctc agtgagatct acgagcacat
2041 ccactgottg tacaagetet etgacacggt gtecatgetg gatatgetge tgtegtttge
2101 gcatgcctgt actctttctg actacgttcg accagagttt actgacactt tagcaatcaa
```

```
2221 ctacattaca gaagggagta atgttctaat cattactgga ccaaatatga gcggaaagtc
  2281 cacgtactta aagcagattg cactttgtca gatcatggcc cagatcggct cctatgtccc
  2341 agcagaatac gcctccttta ggattgctgc acagatcttt acgagaatca gtactgatga
  2401 tgatattgaa acaaactcat caacgtttat gaaagaaatg aaagagatag catatattct
  2461 ccataatqct aatqacaaqt cactcatatt aattqacqaq cttqqcaqaq qcactaatac
  2521 agaagaaggg attggaattt cttatgctgt ctgtgagcac ctgcttagca taaaggcatt
  2581 tacactette actacecatt teetggaact atgecateta gatgeeetgt atettaatgt
  2641 agaaaacatg cattttgaag ttcagcatgt gaagaatacc tcaagaaata aagatgcaat
  2701 tttqtatact tacaaacttt ccaggggact cacagaagaa aagaactatg gattaaaagc
  2761 tgcagaggcc tcctcacttc cgtcatcgat tgtcttggat gccagagaca tcacaacaca
  2821 aattacaagg caaattttgc aaaatcaaag gagttcccct gagatggata gacagagagc
  2881 tqtqtaccat cttqccacaa qqcttqtcca qqccqcccqa aactctcagt tggagccaga
  2941 caggttacgg acatacctga gtaacctcaa gaagaaatat gcaggggact ttcccagggc
  3001 tqtqqqcctt ccaqaqaaqa ctqaqqaqtg accagtacac ggtgtgcaca ggggttgcaa
  3061 cttagttgct cagctttatg ttttaattaa aaattatagt atattaacct cagaatggtc
  3121 acctactatg aattctagat ggaaaatatt cattggaata gcttcaaaag ggacaaattt
  3181 ttaaataaaa gtttttgtta gaaaaataat acagtattca ctgtgaagtc agactaagtt
  3241 tqtaqtttqc tattaaqtqt atqtttaqaa qqttaacaqa aqtattctaq cttaaaaata
  3301 tataataaaq aataqqtctg aaaaqctaaa aaaaaaaaaa aaaaaaaaa aaaaaa
L16 ANSWER 12 OF 25
                         GENBANK.RTM.
                                      COPYRIGHT 2002
LOCUS (LOC):
                       AK017308
                                    GenBank (R)
GenBank ACC. NO. (GBN): AK017308
CAS REGISTRY NO. (RN): 322338-39-6
SEQUENCE LENGTH (SQL): 856
MOLECULE TYPE (CI):
                       mRNA; linear
DIVISION CODE (CI):
                     . High-Throughput CDNA Sequencing
DATE (DATE):
                       19 Jan 2002
                       Mus musculus 6 days neonate head cDNA, RIKEN
DEFINITION (DEF):
                       full-length enriched library, clone:5430414C05:
                       mutS homolog 5 (E. coli),
                       full insert sequence.
                       Mus musculus (strain:C57BL/6J) 6 days neonate head cDNA
SOURCE:
                       to mRNA, clone_lib:RIKEN full-length enriched mouse
                       cDNA library clone:5430414C05.
 ORGANISM (ORGN):
                       Mus musculus
                       Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                       Euteleostomi; Mammalia; Eutheria; Rodentia;
                       Sciurognathi; Muridae; Murinae; Mus
NUCLEIC ACID COUNT (NA): 232 a
                                200 c
                                       179 g
COMMENT:
    Please visit our web site (http://genome.gsc.riken.go.jp/) for
    further details.
    cDNA library was prepared and sequenced in Mouse Genome
    Encyclopedia Project of Genome Exploration Research Group in Riken
    Genomic Sciences Center and Genome Science Laboratory in RIKEN.
    Division of Experimental Animal Research in Riken contributed to
    prepare mouse tissues. First strand cDNA was primed with a primer
    prepared by using trehalose thermo-activated reverse transcriptase
    and subsequently enriched for full-length by cap-trapper. cDNA went
    through one round of normalization to Rot = 10.0 and subtraction to
    Rot = 100.0. Second strand cDNA was prepared with the primer
    adapter of sequence [5'
    with BamHI and XhoI. Vector: a modified pBluescript KS(+) after
    bulk excision from Lambda FLC I. Cloning sites, 5' end: SalI; 3'
    end: BamHI. Host: DH10B.
REFERENCE:
                       1
                         (sites)
  AUTHOR (AU):
                       Carninci, P.; Hayashizaki, Y.
   TITLE (TI):
                      High-efficiency full-length cDNA cloning
                      Meth. Enzymol., 303, 19-44 (1999)
   JOURNAL (SO):
   OTHER SOURCE (OS): CA 131:318304
```

2161 acaaggatgg catcccattc ttgaaaaaat atctgcagag aaacctgtcg ccaacaatac

```
Carninci, P.; Shibata, Y.; Hayatsu, N.; Sugahara, Y.;
   AUTHOR (AU):
                        Shibata, K.; Itoh, M.; Konno, H.; Okazaki, Y.;
                        Muramatsu, M.; Hayashizaki, Y.
                        Normalization and subtraction of cap-trapper-selected
   TITLE (TI):
                        cDNAs to prepare full-length cDNA libraries for rapid
                        discovery of new genes
   JOURNAL (SO):
                        Genome Res., 10 (10), 1617-1630 (2000)
   OTHER SOURCE (OS):
                        CA 134:305920
                           (sites)
REFERENCE:
                        Shibata, K.; Itoh, M.; Aizawa, K.; Nagaoka, S.; Sasaki, N.;
   AUTHOR (AU):
                        Carninci, P.; Konno, H.; Akiyama, J.; Nishi, K.;
                        Kitsunai, T.; Tashiro, H.; Itoh, M.; Sumi, N.; Ishii, Y.;
                        Nakamura, S.; Hazama, M.; Nishine, T.; Harada, A.;
                        Yamamoto, R.; Matsumoto, H.; Sakaguchi, S.; Ikegami, T.;
                        Kashiwaqi, K.; Fujiwake, S.; Inoue, K.; Togawa, Y.;
                        Izawa,M.; Ohara,E.; Watahiki,M.; Yoneda,Y.;
                        Ishikawa,T.; Ozawa,K.; Tanaka,T.; Matsuura,S.;
                        Kawai, J.; Okazaki, Y.; Muramatsu, M.; Inoue, Y.; Kira, A.;
                        Hayashizaki, Y.
                        RIKEN integrated sequence analysis (RISA)
   TITLE (TI):
                        system--384-format sequencing pipeline with 384
                        multicapillary sequencer
                        Genome Res., 10 (11), 1757-1771 (2000)
   JOURNAL (SO):
   OTHER SOURCE (OS):
                        CA 134:203311
                           (sites)
REFERENCE:
                        The RIKEN Genome Exploration Research Group Phase II
  AUTHOR (AU):
                        Team; the FANTOM Consortium.
   TITLE (TI):
                        Functional annotation of a full-length mouse cDNA
                        collection
                        Nature, 409, 685-690 (2001)
   JOURNAL (SO):
                        CA 134:203311
   OTHER SOURCE (OS):
                           (bases 1 to 856)
REFERENCE:
                        Adachi, J.; Aizawa, K.; Akahira, S.; Akimura, T.; Aono, H.;
  AUTHOR (AU):
                        Arai, A.; Arakawa, T.; Baldarelli, R.; Bono, H.;
                        Brownstein, M.; Bult, C.; Carninci, P.; Fukuda, S.;
                        Fukunishi, Y.; Furuno, M.; Hanagaki, T.; Hara, A.;
                        Hayatsu, N.; Hill, D.; Hiramoto, K.; Hiraoka, T.; Hori, F.;
                        Hume, D.; Imotani, K.; Ishii, Y.; Itoh, M.; Izawa, M.;
                        Kasukawa,T.; Kato,H.; Kawai,J.; Kojima,Y.; Konno,H.;
                        Kouda, M.; Koya, S.; Kurihara, C.; Matsuyama, T.;
                        Miyazaki, A.; Nishi, K.; Nomura, K.; Numazaki, R.; Ohno, M.;
                        Okazaki, Y.; Okido, T.; Owa, C.; Quackenbush, J.; Saito, H.;
                        Saito, R.; Sakai, C.; Sakai, K.; Sano, H.; Sasaki, D.;
                        Schriml, L.; Shibata, K.; Shibata, Y.; Shinagawa, A.;
                        Shiraki, T.; Sogabe, Y.; Suzuki, H.; Tagami, M.; Tagawa, A.;
                        Takahashi, F.; Tanaka, T.; Tejima, Y.; Toya, T.;
                        Yamamura, T.; Yamanaka, I.; Yasunishi, A.; Yoshida, K.;
                        Yoshino, M.; Muramatsu, M.; Hayashizaki, Y.
                        Direct Submission
   TITLE (TI):
                        Submitted (10-JUL-2000) Yoshihide Hayashizaki, The
   JOURNAL (SO):
                        Institute of Physical and Chemical Research (RIKEN),
                        Laboratory for Genome Exploration Research Group, RIKEN
                        Gemomic Sciences Center (GSC), RIKEN Yokohama
                        Institute; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama,
                        Kanagawa 230-0045, Japan (E-mail:genome-
                        res@qsc.riken.go.jp, URL:http://genome.gsc.riken.go.jp/
                        , Tel:81-45-503-9222, Fax:81-45-503-9216)
FEATURES (FEAT):
  Feature Key
                    Location
                                             Qualifier
/organism="Mus musculus"
source
                1..856
                                         /strain="C57BL/6J"
```

/db-xref="MGD:MGI:1903961"

2 (sites)

REFERENCE:

```
/clone="5430414C05"
                                        /tissue-type="head"
                                        /clone-lib="RIKEN full-length
                                        enriched mouse cDNA library"
                                        /dev-stage="6 days neonate"
                493..810
                                        /gene="Msh5"
gene
                493..810
                                        /gene="Msh5"
CDS
                                        /note="data source:MGD, source
                                        key:MGI:1329021, evidence:ISS mutS
                                        homolog 5 (E. coli) putative"
                                        /codon-start=1
                                        /protein-id="BAB30683.1"
                                         /db-xref="GI:12856483"
                                        /translation="MVRFVLIVKLGQENGPMRPF
                                        TPHPPOIGPEISKORLLSGNYSFI
                                        SDSMTATEKILFLSSIIPFDCVLTVRALGGLLKF
                                        LSRRRIGVELEDYDVGVPILGFKK FVL"
SEQUENCE (SEQ):
     1 ttggaagctg cttcccacac cccatcatga gtctccccga gatctctcct gcacctttac
    61 tatctttagt acaacttact gagaaactat ggggttaggt atgtgaggaa tgggggggtg
   121 gaagaaaatg gagagatgat actcttaaaa acagttttga acgttggagc caaagtcctt
   181 tqttqcatta aaaaqqaaac qqcactqttt ctqqqaacca tqqtccataa gqcactccct
   241 actttgcaaa cttccaggtt tgcaaaaagg acaggaaata caggaaatgg gcagtattag
   301 tattagttcc atatatatcc acaatccctg ccatcttgac cttttgcctc ctgagtcact
   361 tgtctctctc aggttgtgct tatagccaga catctacatt acataaagaa ccgaaagaat
   421 gagactacat ctgtatgttt tgattctttc tttagctttc cttaaccacc tctatggcct
   481 tqqacaaqcc atatqqtcaq atttqttctt attqttaaac tqgggcaaga gaatggacct
   541 atgagacett teactececa tectececaa ataggtecag agataageaa acagegtete
   601 ctttccggaa actactcctt catctcagac tccatgactg ctactgagaa aatccttttc
   661 ctctcctcca ttattccctt tgactgtgtc ctcacggtcc gggcacttgg aggactgctc
   721 aaqttcctqa qtcqaaqaaq aattggggtt gaactggaag actatgatgt tggcgtccct
   781 atcctgggat tcaagaagtt tgtattgtag gtgactcatc caaacctcaa ccaaagtaaa
   841 gaggactggg aggtct
                          GENBANK.RTM. COPYRIGHT 2002
L16 ANSWER 13 OF 25
                                     GenBank (R)
LOCUS (LOC):
                        AF146227
GenBank ACC. NO. (GBN): AF146227
CAS REGISTRY NO. (RN): 248227-79-4
SEQUENCE LENGTH (SQL):
                        2907
                        mRNA; linear
MOLECULE TYPE (CI):
DIVISION CODE (CI):
                        Rodents
                        14 Nov 1999
DATE (DATE):
                        Mus musculus MutS homolog 5
DEFINITION (DEF):
                        (Msh5) mRNA, complete cds.
SOURCE:
                        house mouse.
                        Mus musculus
 ORGANISM (ORGN):
                        Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                        Euteleostomi; Mammalia; Eutheria; Rodentia;
                        Sciurognathi; Muridae; Murinae; Mus
                                 829 c
NUCLEIC ACID COUNT (NA): 649 a
                                         766 g
                                                 663 t
                        1 (bases 1 to 2907)
REFERENCE:
   AUTHOR (AU):
                        Her, C.; Wu, X.; Wan, W.; Doggett, N.A.
                        Identification and characterization of the mouse
   TITLE (TI):
                        MutS homolog 5: Msh5
                        Mamm. Genome, 10 (11), 1054-1061 (1999)
   JOURNAL (SO):
   OTHER SOURCE (OS):
                        CA 132:261227
REFERENCE:
                          (bases 1 to 2907)
                        Her, C.; Doggett, N.A.
   AUTHOR (AU):
                        Direct Submission
   TITLE (TI):
                        Submitted (27-APR-1999) LS-3, Genomics, Los Alamos
   JOURNAL (SO):
                        National Laboratory, Los Alamos, NM 87545, USA
```

/db-xref="taxon:10090"

FEATURES (FEAT): Qualifier Feature Key Location _______ 1..2907 /organism="Mus musculus" source /strain="BALB/c" /db-xref="taxon:10090" /chromosome="17" /map="18.955 cM" /tissue-type="testis" /gene="Msh5" 1..2907 gene /gene="Msh5" 249..2750 CDS /codon-start=1 /product="MutS homolog 5" /protein-id="AAF07881.1" /db-xref="GI:6409195" /translation="MAFRATPGRTPPGPGPRSGI **PSASFPSPOPPMAGPGGIEEEDEE** EPAEIHLCVLWSSGYLGIAYYDTSDSTIHFMPDA

PDHESLKLLQRVLDEINPQSVVTS AKODEAMTRFLGKLASEEHREPKGPEIILLPSVD FGPEISKQRLLSGNYSFISDSMTA TEKILFLSSIIPFDCVLTVRALGGLLKFLSRRRI GVELEDYDVGVPILGFKKFVLTHL VSIDQDTYSVLQIFKSESHPSVYKVASGLKEGLS LFGILNRCRCKWGQKLLRLWFTRP TRELRELNSRLDVIQFFLMPQNLDMAQMLHRLLS HIKNVPLILKRMKLSHTKVSDWQV LYKTVYSALGLRDACRSLPQSIQLFQDIAQEFSD DLHHIASLIGKVVDFEESLAENRF TVLPNIDPDIDAKKRRLIGLPSFLTEVAQKELEN LDSRIPSCSVIYIPLIGFLLSIPR LPFMVEASDFEIEGLDFMFLSEDKLHYRSARTKE LDTLLGDLHCEIRDOETLLMYOLO COVLARASVLTRVLDLASRLDVLLALASAARDYG YSRPHYSPCIHGVRIRNGRHPLME LCARTFVPNSTDCGGDOGRVKVITGPNSSGKSIY LKQVGLITFMALVGSFVPAEEAEI GVIDAIFTRIHSCESISLGLSTFMIDLNQVAKAV NNATEHSLVLIDEFGKGTNSVDGL ALLAAVLRHWLALGPSCPHVFVATNFLSLVQLQL LPQGPLVQYLTMETCEDGEDLVFF YQLCQGVASASHASHTAAQAGLPDPLIARGKEVS

DLIRSGKPIKATNELLRRNQMENC

QALVDKFLKLDLEDPTLDLDIFISQEVLPAAPTI

SEQUENCE (SEQ):

1 caggagageg egetgegget gtaagggegt gggtggeggg agagaettga egtgaeageg 61 cgctccgtca gagcttccaa agcacggctt cgagtgacag gaatgagggt gggacagtag 121 ctcggagctg ctcccaacct aaaggggcag ccccgcgcc tgtcccctga aagcccgcgc 181 accageegee tgetgaatge tgettttgga ceteetteee eteceatgte eteagagteg 241 ccgagcccat ggctttcaga gcgaccccag gccggacgcc gccgggaccc ggacccagat 301 ccggaatccc ctcagccagc ttccccagcc ctcagccccc aatggcgggg cctggaggta 361 tcgaggaaga ggacgaggag gagcccgccg agatccatct gtgcgtgctg tggagctcgg 421 gatacctggg cattgcttac tatgacacta gtgactccac tatccacttc atgccagatg 481 ccccaqacca cqaqaqccta aaqcttctcc aqaqaqttct qqatqaaatc aacccccaqt 541 ctgttgtcac aagtgccaaa caggatgagg ctatgactcg atttctaggg aagcttgcct 601 ctgaggagca cagagagcca aagggacctg aaatcatact tctgccaagc gtggattttg 661 gtccagagat aagcaaacag cgtctccttt ccggaaacta ctccttcatc tcagactcca 721 tgactgctac tgagaaaatc cttttcctct cctccattat tccctttgac tgtgtcctca 781 cggtccgggc acttggagga ctgctcaagt tcctgagtcg aagaagaatt ggggttgaac 841 tggaagacta tgatgttggc gtccctatcc tgggattcaa gaagtttgta ttgacccatc 901 tggtgagcat agatcaagac acttacagcg ttctacagat tttcaagagt gagtctcacc 961 cctcgqtqta caaaqtaqcc aqtqqqctqa aqqagqqqct caqccttttt qqaatcctca 1021 acagatgccg ctgtaagtgg ggacagaagc tgctcaggct gtggtttaca cgtccaaccc

L"

```
1081 gggagctaag ggaactcaat tcccgactgg atgtcattca gttcttcctg atgcctcaga
  1141 acctggacat ggcccagatg ctgcaccgac tcctgagcca catcaagaat gtgcctctga
  1201 ttctgaaacg catgaagttg tcccacacca aggtcagtga ctggcaggtc ctctacaaga
  1261 ctgtgtacag tgctctcggc ctgagggatg cctgccgttc tctgccacag tccatccagc
  1321 tttttcagga cattgcccag gagttctctg acgacctgca tcacattgcc agcctcatcg
  1381 qqaaqqtqqt ggactttgag gaaagtcttg ctgaaaatcg cttcacagtc ctccctaaca
  1441 tagaccetga catagatgee aagaagegaa ggetgatagg getteegage tteeteactg
  1501 aagttgctca gaaggagctg gagaacctgg actctcgcat cccctcatgc agtgtcatct
  1561 acatecetet gattggette ettetteea tteecegett geettteatg gtggaageta
  1621 gtgactttga gattgagggg ctggacttca tgtttctctc agaggacaag ctgcactatc
  1681 qtaqcqcccq qaccaaqqaq ctqqacacqc tqctqgqaga cctqcactqt gagatccggg
  1741 accaggagac tetgttgatg taccagetge agtgecaggt getggeaegg getteggtet
  1801 tqactcqqqt attqqacctt qcctcccqcc tqgacqtcct gttggctctt gccagtgctg
  1861 cccqqqacta cqqctattcq aqaccqcatt actctccctq tatccatqqa gtacqaatca
  1921 qqaatqqcaq qcatcctctg atggaactgt gtgcacgaac cttcgtgccc aactccacgg
  1981 actgtggtgg ggaccagggc agggtcaaag tcatcactgg acccaactcc tcagggaaaa
  2041 gcatatatet caageaggta ggettgatea ettteatgge eetggtggge agtttegtge
  2101 ctgcagagga ggccgagatt ggggtaatcg acgccatctt cactcgaatt cacagctgcg
  2161 aatccatctc cctcggcctc tccaccttca tgattgatct caaccaggtg gcgaaagcag
  2221 tqaacaatqc cacaqaqcac tcgctggtcc tgatcgatga attcgggaag gggaccaact
  2281 cggtggatgg cctggcactt ctggctgctg tgctccgtca ctggctagca ctgggaccca
  2341 gctgcccca cgtctttgta gccaccaact tcctgagcct tgttcagctg cagctgctgc
  2401 cqcaaqqacc cctqqtqcaq tatttqacca tqgaqacttq tqaggatqqq gaaqaccttq
  2461 tettetteta ceagetttge caaggegteg ceagtgecag ceaegectee caeacagegg
  2521 cccaggetgg getteetgae ccaeteattg etegtggeaa agaggtetea gaettgatee
  2581 qcaqtqqqaa acccatcaaq qccacqaatq agcttctaaq qagaaaccaa atggaaaact
  2641 qccaqqcact qqtqqataaq tttctaaaac tqqacttqqa qgatcccacc ctggacctqq
  2701 acattttcat tagtcaggaa gtgctgcccq ctgctcccac catcctctga gagtcctccc
  2761 tcgcctccca gctacctgag ccccggggcc taccatgcct tttcgggttt ttttttccc
  2821 ttactqcaaa qttttaaqtt tqcacattqq qttttqgqct aggaataaag cttattttag
  2881 atcaaaaaaa aaaaaaaaa aaaaaaa
                                        COPYRIGHT 2002
L16 ANSWER 14 OF 25
                         GENBANK.RTM.
LOCUS (LOC):
                       HSMSH4
                                   GenBank (R)
                        6195
                        DNA; linear
                        Primates
                        6 Oct 1998
                       Homo sapiens MutS homolog 5
                        (MSH5) gene, exons 13 through 25 and complete cds.
```

GenBank ACC. NO. (GBN): AF048991 CAS REGISTRY NO. (RN): 207662-28-0 SEQUENCE LENGTH (SQL): MOLECULE TYPE (CI):

DIVISION CODE (CI): DATE (DATE):

DEFINITION (DEF):

SEGMENT: 4 of 4 human. SOURCE:

ORGANISM (ORGN): Homo sapiens

> Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;

Hominidae; Homo

NUCLEIC ACID COUNT (NA): 1441 a 1600 c 1669 q 1485 t

(bases 1 to 6195) REFERENCE: 1 Her, C.; Doggett, N.A. AUTHOR (AU):

Cloning, structural characterization, and chromosomal TITLE (TI): localization of the human orthologue of Saccharomyces

cerevisiae MSH5 gene

Genomics, 52 (1), 50-61 (1998) JOURNAL (SO):

OTHER SOURCE (OS): CA 130:1059

REFERENCE: (bases 1 to 6195) AUTHOR (AU): Her, C.; Doggett, N. TITLE (TI): Direct Submission

Submitted (18-FEB-1998) Life Sciences Divison and JOURNAL (SO): Center for Human Genome Studies, Mail Stop: M888, Los Alamos National Laboratory, Los Alamos, NM 87545, USA

FEATURES (FEAT):

```
Qualifier
  Feature Key
                     Location
                                          /organism="Homo sapiens"
                1..6195
source
                                          /db-xref="taxon:9606"
                                          /chromosome="6"
                                          /map="6p21.3"
                 join(AF048988.1:702..80 /gene="MSH5"
mRNA
                0,
                AF048988.1:1192..1351,
                AF048988.1:1901..2024,
                AF048988.1:3604..3684,
                AF048988.1:3835..3897,
                AF048988.1:4631..4752,
                AF048988.1:4917..5026,
                AF048988.1:5273..5308,
                AF048988.1:5964..6046,
                AF048989.1:501..546,
                AF048990.1:1127..1265,
                AF048990.1:1393..1455,
                387..515,770..842,
                988..1097,1319..1399,
                1647..1734,2008..2197,
                2312...2438,2912...3061,
                3410..3484,3694..3837,
                4040..4177,4334..4407,
                4642..4898)
                                          /note="utilizes alternative exon
                                          /product="MutS homolog 5"
                order(AF048988.1:702..6 /gene="MSH5"
gene
                820, AF048989.1:1..880,
                AF048990.1:1..1960,
                1..4898)
mRNA
                join(AF048988.1:766..95 /gene="MSH5"
                8,
                AF048988.1:1192...1351,
                AF048988.1:1901..2024,
                AF048988.1:3604..3684,
                AF048988.1:3835..3897,
                AF048988.1:4631..4752,
                AF048988.1:4917...5026,
                AF048988.1:5273..5308,
                AF048988.1:5964..6046,
                AF048989.1:501..546,
                AF048990.1:1127..1265,
                AF048990.1:1393..1455,
                387..515,770..842,
                988..1097,1319..1399,
                1647..1734,2008..2197,
                2312..2438,2912..3061,
                3410..3484,3694..3837,
                4040..4177,4334..4407,
                4642..4898)
                                          /product="MutS homolog 5"
CDS
                join(AF048988.1:1205..1 /gene="MSH5"
                351,
                AF048988.1:1901..2024,
                AF048988.1:3604..3684,
                AF048988.1:3835..3897,
                AF048988.1:4631..4752,
                AF048988.1:4917..5026,
                AF048988.1:5273..5308,
                AF048988.1:5964..6046,
                AF048989.1:501..546,
                AF048990.1:1127..1265,
```

AF048990.1:1393..1455, 387..515,770..842, 988..1097,1319..1399, 1647..1734,2008..2197, 2312..2438,2912..3061, 3410..3484,3694..3837, 4040..4177,4334..4407, 4642..4753)

> /codon-start=1 /product="MutS homolog 5" /protein-id="AAC62534.1" /db-xref="GI:3108227" /translation="MASLGANPRRTPQGPRPGAA SSGFPSPAPVPGPREAEEEEVEEE **EELAEIHLCVLWNSGYLGIAYYDTSDSTIHFMPD** APDHESLKLLQRVLDEINPQSVVT SAKODENMTRFLGKLASQEHREPKRPEIIFLPSV DFGLEISKORLLSGNYSFIPDAMT ATEKILFLSSIIPFDCLLTVRALGGLLKFLGRRR IGVELEDYNVSVPILGFKKFMLTH LVNIDQDTYSVLQIFKSESHPSVYKVASGLKEGL SLFGILNRCHCKWGEKLLRLWFTR PTHDLGELSSRLDVIQFFLLPQNLDMAQMLHRLL GHIKNVPLILKRMKLSHTKVSDWQ VLYKTVYSALGLRDACRSLPQSIQLFRDIAQEFS DDLHHIASLIGKVVDFEGSLAENR FTVLPNIDPEIDEKKRRLMGLPSFLTEVARKELE NLDSRIPSCSVIYIPLIGFLLSIP RLPSMVEASDFEINGLDFMFLSEEKLHYRSARTK ELDALLGDLHCEIRDQETLLMYQL OCOVLARAAVLTRVLDLASRLDVLLALASAARDY GYSRPRYSPOVLGVRIONGRHPLM ELCARTFVPNSTECGGDKGRVKVITGPNSSGKSI YLKQVGLITFMALVGSFVPAEEAE IGAVDAIFTRIHSCESISLGLSTFMIDLNQVAKA VNNATAQSLVLIDEFGKGTNTVDG LALLAAVLRHWLARGPTCPHIFVATNFLSLVQLQ LLPQGPLVQYLTMETCEDGNDLVF FYQVCEGVAKASHASHTAAQAGLPDKLVARGKEV SDLIRSGKPIKPVKDLLKKNQMEN COTLVDKFMKLDLEDPNLDLNVFMSQEVLPAATS IL"

exon	387515	/gene="MSH5"
	•	/number=13
exon	770842	/gene="MSH5"
		/number=14
exon	9881097	/gene="MSH5"
		/number=15
exon	13191399	/gene="MSH5"
		/number=16
exon	16471734	/gene="MSH5"
		/number=17
exon	20082197	/gene="MSH5"
		/number=18
exon	23122438	/gene="MSH5"
		/number=19
exon	29123061	/gene="MSH5"
		/number=20
exon	34103484	/gene="MSH5"
		/number=21
exon	36943837	/gene="MSH5"
	·	/number=22
exon	40404177	/gene="MSH5"
		/number=23
exon	43344407	/gene="MSH5"
		•

SEQUENCE (SEQ):

1 cctgcctcag cctcccaagt agctggaatt acatgtgcat gccaccaagc ccagttaatt 61 tttgtatttt gagtagagac agggtttcac catgttggtg aggctgatct cgaactcctg 121 acctcaggtg atctacccac ctcagcctcc caaagtgctg ggattacagg catgagccac 181 tqtqcctqqc caggaccata tcttaattgt ctttgtagtt tcagtgtttg gtacagtgcc 241 tctcactgtt tctttttgcc tttgagatct tccctctttg ttactgtgat cttccctact 301 gqtctttqtt cttctqaqtc tgtccctatc accacctcaa cccgagctgg atgtggcctg 361 tecteetttt tgtgtttete teacagactg tgtacagtge eetgggeetg agggatgeet 421 gccgctccct gccgcagtcc atccagctct ttcgggacat tgcccaagag ttctctgatg 481 acctqcacca tatcqccaqc ctcattqqqa aagtagtgag tagaaggaaa aagggagtgc 541 acccagggag qtcagggaga qagaatgcag tqtgcaagat ggggaaacat ggaagatatt 601 qaqqtcaatt qqataaaqaa tgggatggtg ggaggaggca gcagaacttc agggaagtat 661 ctggagggtg agagttaaag gaggactgca gggagaattg gggcccaagg agagctgagg 721 aacaggacag agggtgccag gtcctaagaa acagtactta tctcctcagg tggactttga 781 gggcagcctt gctgaaaatc gcttcacagt cctccccaac atagatcctg aaattgatga 841 gagtgagtgt tgggtgtgga tgggcctgtg agccctgcgc agtgatggag taccatcctt 901 ggcaggtggt caccacagct ggggatcttc atagcaacca gggcaggaga ctcacttttg 961 ataaccacgt gtcttccacc ctcgtagaaa agcgaagact gatgggactt cccagtttcc 1021 ttactgaggt tgcccgcaag gagctggaga atctggactc ccgtattcct tcatgcagtg 1081 tcatctacat ccctctgqtg agggcaggag agtgggtgta gccttcagat gtcttttggg 1141 ggagatatta ggcttatgaa agacatactg gtagataaga aaacttgtgg ggcagcctga 1201 agaacatgaa cacttttttg tggggataca gggatctttt aagctccctc tagggtgggg 1261 aggtgtccag taagtctcca agcaggagag tagagtatct cctctttact ctccccagat 1321 tagetteett etttetatte ecceectee tteeatggta gaggecagtg aetttgagat 1381 taatggactg gacttcatgg taagaccctc aacctctgta aggtgagtga tgaggaaaat 1441 gagtcagcag ctgaggaaga gcgttactct acagcagcac tgcccaatat gggatctctc 1501 ctctqtaqtt ttactctqaq ctttaccaqc actqaqacaa aggaaagaqa agtcagagtt 1561 aggggctgga ggtggggtta gaaagatggg gaaggagagg aggaccaaga gatgcaaagt 1621 ccacagettt gaacccctgt acccagtttc tctcagagga gaagctgcac tatcgtagtg 1681 cccgaaccaa ggagctggat gcattgctgg gggacctgca ctgcgagatc cggggtgagg 1741 aaaagccaga ggttatatgc attgtaagat gtttaaaaaa agcagcagcc aggggaagga 1801 ggggagtggg caacttgggg atgcttccaa caggcccctc ctcttcctgc tctctgtctc 1861 gctcactctq actctatctt ttcctctgaa tgtcttgagg tctcagattg tatctgcaac 1921 ctgtttccag atccccctag gggcctctgc ctctccttca ctttcccctg gaactgacct 1981 ccagctccct tcctcaccca ctcccagacc aggagacgct gctgatgtac cagctacagt 2041 gccaggtgct ggcacgagca gctgtcttaa cccgagtatt ggaccttgcc tcccgcctgg 2101 acqtcctqct qqctcttqcc aqtqctqccc qqqactatqq ctactcaagg ccqcqttact 2161 ccccacaaqt ccttqqqqta cqaatccaqa atqqcaqqta aqaataqaqq cgggtggagg 2221 aatagacatg aggggcccaa aggctacatc ttctgggggt tcatctatct tgatccacaa 2281 qccatqcqaq qtqcctctcc qcccactqca qacatcctct gatggaactc tgtgcccgaa 2341 cctttgtgcc caactccaca gaatgtggtg gggacaaagg gagggtcaaa gtcatcactg 2401 gacccaactc atcagggaag agcatatacc tcaaacaggt gaggagaagc cctgcagcct 2461 gggcctctgg cgtctcctgc atctactcca cccctacttg ccagccaact caggctcctg 2521 cagetettet eccattttet gacceegete tteatgaaag gaccateace cacateeetg 2581 tgcttccacc tcacatgttc ttattctcca ctggagagcc atgctctaat ggaactttcc 2641 gtggcccaaa ttccttcacc tgcctctgag taggtacaca ccactcccaa gtatgtctct 2701 gcccacqtcc cgtgcctctt cactgattct aaattagccc acagggctat ggtcaggatt 2761 cggggaggag agacagagtc agtgtgtctg ttacctattt ctcctgtttc accctgtcca 2821 tttctctttg atgtgccatt catgccttga gcctcacttt cacctcagcc cacggcacca 2881 ggccccaggc cctgtctcct tccctattca ggtaggcttg atcacattca tggccctggt 2941 aggcagettt gtgccagcag aggaggeega aattggggea gtagaegeea tetteacaeg 3001 aattcatage tgcgaateca tetecettgg cetetecace ttcatgateg aceteaacea 3061 ggtcaaaggg aacaaaggga ggtgggattg aggaagggga taatgggaaa ggaacccctg 3121 aaaatgctca taacaggaaa gcatgccctc tgctgcatgc cctttatact aaaagtgggg 3181 agcactaagg tcagagataa gaagaatcaa taccataaac atttcttgaa cccttgtttc 3241 atgtgagtca ctgttggcaa agaggatgaa caaagcgtgc acctcaccat tcaagaactt 3301 qcaqtqcaqt aqqqaqqqca tqtatacagc tttattcaca ggccaactgt ggtcagtgcg 3361 ttacgggctt ccaatactaa ctttcccttg tccaccttat acccagcagg tggcgaaagc 3421 agtgaacaat qccactgcac agtcqctggt ccttattgat gaatttggaa agggaaccaa 3481 cacqqtqaqq qqaqaaactq atqaqqqqaq aaactaaqqa qqqqaaaatq qaqqaqqatq 3541 aaggagcatg acagtgaggc tgggcctctg gaatggaata gggctgtgtg ggcagaaaag

```
3601 aaatagaaca cgagacaggg aaaggcagtg caagtgcaga ggggcatatg gggtccccat
3661 ggctccgaat gctaacctct gccctctttg caggtggatg ggctcgcgct tctggccgct
3721 gtgctccgac actggctggc acgtggaccc acatgccccc acatctttgt ggccaccaac
3781 tttctgagcc ttgttcagct acaactgctg ccacaagggc ccctggtgca gtatttggtg
3841 aggagaccaa tctagctcct cggggacccc caggetgggc atttcccaga ggtggggatt
3901 ggctcctcta tcagaacaag ggctccctca gcacagagac cacatccctt cccttttctc.
3961 cctccccaca qgattqqcca aqqqtttcag gacaggaagg aggtgattga tgatacactg
4021 tettttatte tettttaaga eeatggagae etgtgaggat ggeaacgate ttgtettett
4081 ctatcaggtt tgcgaaggtg ttgcgaaggc cagccatgcc tcccacacag ctgcccaggc
4141 tqqqcttcct qacaaqcttg tqqctcqtgg caaggaggtg atgagatcca aatgtgcaac
4201 cacctccaca tcaqaqctcc ctttcattcc tagtcctact gggcctgggt ctaggtccac
4261 aggatttctg accettattt ccccttctct tccccactcc ccttactcct cccaccttct
4321 tgcttgttcc taggtctcag acttgatccg cagtggaaaa cccatcaagc ctgtcaagga
4381 tttgctaaag aagaaccaaa tggaaaagtg cgtatatggc cccagtgtct ttaccctctc
4441 tgcatcttct cctgcaactc ttctcccctt ttcagggact cagccttcct ccagcacttt
4501 gcccttcaga aacccaccat ttctttctga aatccctaaa tcttcaagat cccaggtttt
4561 ctgtgccaca gcctctcccc tctgcccagg gatttggttg tccattctgc cataaatctt
4621 gcgattttct ctcttcttca gttgccagac attagtggat aagtttatga aactggattt
4681 ggaagateet aacetggaet tgaaegtttt catgageeag gaagtgetge etgetgeeae
4741 cagcatecte tgagagteet tecagtgtee tececageet cetgagaete eggtgggetg
4801 ccatgccctc tttgtttcct tatctccctc agacgcagag tttttagttt ctctagaaat
4861 tttgtttcat attaggaata aagtttattt tgaagaaaga tattgtttct ttagtctcaa
4921 aacaagagac taggaaagat ccaaaacaca gagcaggagt ccacagggga acctgccctg
4981 cctcaqtaaa aatacaqtqt tqttqctqta qqaaqactcc cggattctac cccaggatac
5041 ttcatgagaa cgaacccctt cagagaggcc ctacaaaaca gattagaggg aagacagagg
5101 qqtccaaqqq aqatqqtctc tcttctcaaq taggaacacc ccagcctcag acagacacag
5161 caggaagggg cctgagaggc tgacagaggc aggatgggtg caaggcaggg gtggagggga
5221 gggaccagcc cgggctgcac cagtgggagt ggctccaccc ttcccacctc agagccatgg
5281 gqaqccaqqq ctctqqcqqq gtgcccttgg tgcaggctcc ctacacagtc ctgctgctgc
5341 cgctggggac aagccgccaa gacccagggg cccagagctt cttcctttgg gtgagtatca
5401 gcccaacaag aggtcccagg ggaactctct caatagatct gccctttata tttccattca
5461 acttgagggc ccacagtgtt cccgcctgcc tccccttgcc ctccaggtcc tcagtggcca
5521 gtctgggttc acactcagtg accacacgt gaacccaact aggggtggag agaaagggcc
5581 ataacccaga gccctactgt ggcgtgagag tcagcctctg tgattgcctt tcccagctac
5641 gcaggatgca ggctctggag agagaacagg atgccctgtg gcagggtctg gagctgctac
5701 agcatggcca ggcctggttt gaagaccatc tgagggaggc acagcgacag cagctgcatc
5761 taggggccct tggtgaggta tgggggctgc ccctctgtgt gaatgggggg aggaccaggg
5821 agggaggaac agggaatgtg tagacacagc ctgagaccac tctggagagg ggagagttaa
5881 tggtcaggga tcatgagttg gaggcagcat cgtaatgaca ggatgccacc aagtgttaag
5941 ttqqtqttca ttqttqqqqc tqqaqqaaqc tqgtctqcat tccattcaga gggatttgga
6001 tcactccatg gagatgaggg tgtggcctgg attattccaa tggggcaggg atggacaggg
6061 aggetecatg aagagtagtg aaagggggta ttgtgetatt tgagggagat ggaggaactg
6121 atqtqctaaa qaqatqqaqq tqqaqaqtac tqgattttcc cacctqcctg ggagggtact
6181 gggacgaggg gatcc
```

L16 ANSWER 15 OF 25 GENBANK.RTM. COPYRIGHT 2002

LOCUS (LOC): HSMSH3 GenBank (R)

GenBank ACC. NO. (GBN): AF048990 CAS REGISTRY NO. (RN): 207662-27-9

SEQUENCE LENGTH (SQL): 1960

MOLECULE TYPE (CI): DNA; linear DIVISION CODE (CI): Primates DATE (DATE): 6 Oct 1998

DEFINITION (DEF): Homo sapiens MutS homolog 5 (MSH5) gene, exons 11 and 12.

SEGMENT: 3 of 4 SOURCE: human.

ORGANISM (ORGN): Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;

Hominidae; Homo

NUCLEIC ACID COUNT (NA): 537 a 487 c 450 g 486 t

REFERENCE: 1 (bases 1 to 1960)
AUTHOR (AU): Her, C.; Doggett, N.A.

TITLE (TI): Cloning, structural characterization, and chromosomal

localization of the human orthologue of Saccharomyces

cerevisiae MSH5 gene

JOURNAL (SO):

Genomics, 52 (1), 50-61 (1998)

OTHER SOURCE (OS):

CA 130:1059

REFERENCE: AUTHOR (AU):

2 (bases 1 to 1960) Her, C.; Doggett, N. Direct Submission

TITLE (TI): JOURNAL (SO):

Submitted (18-FEB-1998) Life Sciences Divison and Center for Human Genome Studies, Mail Stop: M888, Los Alamos National Laboratory, Los Alamos, NM 87545, USA

FEATURES (FEAT):

Feature Key	Location	Qualifier
source	11960	/organism="Homo sapiens" /db-xref="taxon:9606" /chromosome="6" /map="6p21.3"
exon	11271265	/gene="MSH5" /number=11
exon	13931455	/gene="MSH5" /number=12

SEQUENCE (SEQ):

```
1 catqcctqta atcccagcac tttgggaggc cgaggcgggt ggatcacaag gtcaggagtt
  61 caaqaccagc ctggccaaqa tggtgaaacc ccgtctctac taaaaataca aaaattagct
 121 gagcacagtg gcgggtgcct gtaattccag aacctgggag gtggaggttg cagtaagcca
 181 agattgtgct actgcactct agcctgggcg acagagcaag actctatata aaaaataaaa
 241 taaaaaaaaa qaataagaca ctattggccg ggtatggtga ctcacgcctg taatcccagc
 301 actttgggag ccgaggcggg cagatcacga ggtcaagaga tcgagatcat tctggccaac
 361 ataqtqaaac cctqactcta ctaaaaatac aacaattaqc tgggcatggt ggcgcatacc
 421 tgcagtccca gctactcggg aggctgaggc acgaaaatca cttgaacccg ggaggtggag
 481 gttgcagtga gccgagatcg catcactgca ctccagcctg gcgacaaagc gagactctgt
 541 ctcaaaaaaa aaaaaaaacg aaagaataag acattgttgt tgaagcccct taaatgtccc
 601 tocccaatoo ttttttctct goagtgttga coattattat gaattaaago ttatcatooc
 661 taatqqqaca qttatqtttt cacaqqaaqa atatqaaaaq atqaatqtct gttqctqtta
 721 cccagagaca ctttcacagc taaaagacat acaaactcat actgactcac cgtctcttac
 781 tcaqcctcaq agtqaqctqc agtqttqqca cacaaatacc tcaacacact gctctccttc
 841 taaaatattg acaageteeg ttaettatat acatggaatg acaeaeggte ttateegttg
 901 aaactqtqat atqtaqacac aattatgctc acatctagca attttcagta gatacatgta
961 aacacactq aatqqqtaqq acactqcact tqccactaca ttcccatagc acatcqtgga
1021 tacatattgc cacaatcccc agggactgca agcacacttt ttggcaaact gagatcaaga
1081 tgatagatgt aacttgtagt acceccacce aaaccetcae ttecaggeta tggtteacae
1141 gtccgactca tgacctgggg gagctcagtt ctcgtctgga cgtcattcag ttttttctgc
1201 tgccccagaa tctggacatg gctcagatgc tgcatcggct cctgggtcac atcaagaacg
1261 tgcctgtgag cccagggtgg agggcaggga ggtggggaag gaggttgagg gctgatactg
1321 ggcagtgggc ttcttgaggg gcattagagt gagggaagag aaaacagcgg ctgtaacctt
1381 gtctgactgt agctgattct gaaacgcatg aagttgtccc acaccaaggt cagcgactgg
1441 caggttctct acaaggtaag gccttccttc ttgaatccca aaagtccagg taaaggccct
1501 cagcctgtat tccagactgt ctgtacccta gacatgctgt ccaattttat tctaccctct
1561 tttttttttt tttggagaca gcctcgctct gtcgcccagg ctgaagtgcc atggggcgat
1621 cttggctcac tgcaacctcc gcctcctggg ttcaagcaat tctgcctcag cctcccgaga
1681 agttgggatt acaagcgccc gccaccatgc ctggcaaatt tttgtatttt tagtagagac
1741 aggatttcac catgttggcc aggctggtct tgaactcctg acttcaggtg atccacctgc
1801 ctcaqcctcc caaqqtqctq qqattacaqq tqtqaaccac caqqcccqgc ctccctcttt
1861 ttttttttaa ctttgtattc aggaaaatgt aaaaaatatt tagaataata taattaaccc
1921 ccatgtaccc accatgcagt ttcaacactt taacttacgc
```

L16 ANSWER 16 OF 25 GENBANK.RTM. COPYRIGHT 2002

LOCUS (LOC): HSMSH2 GenBank (R)

GenBank ACC. NO. (GBN): AF048989 CAS REGISTRY NO. (RN): 207662-26-8 SEQUENCE LENGTH (SQL): 880

```
MOLECULE TYPE (CI):
                       DNA; linear
DIVISION CODE (CI):
                       Primates
DATE (DATE):
                       6 Oct 1998
DEFINITION (DEF):
                       Homo sapiens MutS homolog 5
                       (MSH5) gene, exon 10.
                       2 of 4
SEGMENT:
                       human.
SOURCE:
 ORGANISM (ORGN):
                       Homo sapiens
                       Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                       Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;
                       Hominidae; Homo
NUCLEIC ACID COUNT (NA): 207 a 260 c
                                        178 g
                                                235 t
                       1 (bases 1 to 880)
REFERENCE:
                       Her, C.; Doggett, N.A.
   AUTHOR (AU):
                       Cloning, structural characterization, and chromosomal
   TITLE (TI):
                       localization of the human orthologue of Saccharomyces
                       cerevisiae MSH5 gene
                       Genomics, 52 (1), 50-61 (1998)
   JOURNAL (SO):
                       CA 130:1059
   OTHER SOURCE (OS):
                       2 (bases 1 to 880)
REFERENCE:
   AUTHOR (AU):
                       Her, C.; Doggett, N.
                       Direct Submission
   TITLE (TI):
                       Submitted (18-FEB-1998) Life Sciences Divison and
   JOURNAL (SO):
                       Center for Human Genome Studies, Mail Stop: M888, Los
                       Alamos National Laboratory, Los Alamos, NM 87545, USA
FEATURES (FEAT):
  Feature Key
                   Location
                                           Qualifier
___________
                                       /organism="Homo sapiens"
               1..880
source
                                       /db-xref="taxon:9606"
                                       /chromosome="6"
                                       /map="6p21.3"
                                       /gene="MSH5"
               501..546
exon
                                       /number=10
SEQUENCE (SEQ):
     1 atttccqctc actqcaaqtt ctqcctcccq ggttcatgcc attctgcttc agcctcccqa
    61 gtagctggga ctacaggtgc ctgccaccat gcccggctaa ttttttgtat ttttagtaga
   121 gactgcgttt caccatgtta gccaggatgg tctcgatctc ctgaccacgt gatccgtctg
   181 cctcqqcctc ccaqaqtqct qqqattacaq qcqtqaqcca ccqtqcctqq ccaqttcttq
   241 agttttaact aggtctgctt tgtgtatttt tctggctaag tgtccctgtg agtgtccatc
   301 ccttccccca tctccatgta cggtaatccc agctcatatt tgtggccagg caccagcttt
   361 ggctgccttt gtgccctccc aggccagctt cctcaacaac cagcacctct gacctggatg
   421 cctcagctta gacacataaa cacattccat tccctgtccc tgccttgtaa caagttcact
   481 ccctgcctta tccctcacag gaatcctcaa cagatgccac tgtaagtggg gagagaagct
   541 gctcaggtga gtgggtccca cacatactac acactaatgc atgaattcca tatgcacact
   601 acatactaaa gcctactaat ggcagtatac agattctcac atacaccacc ccacctagta
   661 gtagtaaagc aactgccctt tactgagcac tggctaactg catttcatcc ttataacagc
   721 tttgtgtagt agctgatatg catctcattt tttgttgtca gcgcaggtac acatataccc
   781 attgatgata cacagacttg cacacataca agcagcagga aaaaacacaa aatgtaaggc
   841 cgggcacaag tggctcacac ctgtaatccc agcacttggg
                         GENBANK.RTM. COPYRIGHT 2002
L16 ANSWER 17 OF 25
LOCUS (LOC):
                       HSMSH1
                                  GenBank (R)
GenBank ACC. NO. (GBN): AF048988
CAS REGISTRY NO. (RN): 207662-25-7
SEQUENCE LENGTH (SQL): 6820
```

MOLECULE TYPE (CI): DNA; linear DIVISION CODE (CI): Primates 6 Oct 1998 DATE (DATE):

Homo sapiens MutS homolog 5 DEFINITION (DEF):

(MSH5) gene, exons 1 through 9.

SEGMENT: 1 of 4 SOURCE:

human.

ORGANISM (ORGN):

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;

Hominidae; Homo

1692 c 1813 t NUCLEIC ACID COUNT (NA): 1661 a 1654 g

REFERENCE:

(bases 1 to 6820)

AUTHOR (AU):

Her, C.; Doggett, N.A.

TITLE (TI):

Cloning, structural characterization, and chromosomal localization of the human orthologue of Saccharomyces

cerevisiae MSH5 gene

JOURNAL (SO):

Genomics, 52 (1), 50-61 (1998)

OTHER SOURCE (OS):

CA 130:1059

REFERENCE: AUTHOR (AU):

(bases 1 to 6820) Her, C.; Doggett, N.

TITLE (TI):

Direct Submission

JOURNAL (SO):

Submitted (18-FEB-1998) Life Sciences Divison and Center for Human Genome Studies, Mail Stop: M888, Los Alamos National Laboratory, Los Alamos, NM 87545, USA

FEATURES (FEAT):

Feature Key	Location +====================================	Qualifier
source	16820	<pre>/organism="Homo sapiens" /db-xref="taxon:9606" /chromosome="6"</pre>
exon	702800	<pre>/map="6p21.3" /gene="MSH5" /note="alternatively spliced exon" /number=1</pre>
exon	766958	/gene="MSH5" /number=1
exon	11921351	/gene="MSH5" /number=2
exon	19012024	/gene="MSH5" /number=3
exon	36043684	/gene="MSH5" /number=4
exon	38353897	/gene="MSH5" /number=5
exon	46314752	/gene="MSH5" /number=6
exon	49175026	/gene="MSH5" /number=7
exon	52735308	/gene="MSH5" /number=8
exon	59646046	/gene="MSH5" /number=9

SEQUENCE (SEQ):

-						
1	cctctctgtc	ttcaggggtg	tgtagaagtg	cgaaggggta	tgggcatgtc	ccagtagggg
61	tgtgagtgtt	ctgatcagaa	ctacttctct	ctgccagaat	ttgatgtaat	tcgaatgctt
121	ccacctctgc	ttgaagggtt	taaataataa	attaggccct	gtcgtgccat	tatgggggtg
181	gtcataccct	gtacccagga	aacaggcacg	gtagggctga	gacagaagtc	ctgcttgttt
241	ccgcttattt	atttgaaaca	ccgctcattt	aggtcttact	ttgtttgcca	ggcactgttc
301	taagctctgt	ataaatatta	actcagaggg	tacaaatatt	aacttaagag	ttgttgcagg
361	aaaaaaata	agcgcctctg	gctctttaag	tttggcctcc	ccctcaaaac	ccccgcaacg
421	gtcccaaacc	ccttccaggg	actgggacta	cggaccctgg	tccgaccttc	tcgcgggctt
481	cccactgcgc	caatcaaatc	ccagaaacag	tgagtgctat	aggcccggct	gctaagcaac
541	ggcatagggc	gggaagtttg	aacgttctgg	acccgccccg	aaggcaaata	ggccaatcag
601	cgtccagact	cttcagctac	ggcagtccgc	ttctcctcct	cgccctgtcg	gatctctagg
661	ctggatccgg	gcctctccaa	tcaacagcgg	ctaggagggc	ggggcgcgtg	cgcgcgcacc
721	tcgctcacgc	gccggcgcgc	tccttttgca	ggctcgtggc	ggtcggtcag	cggggcgttc
	tcccacctgt					
	gggggaggag					

```
901 agacataaga cgtgcacgac tcgccccaca gggccctcag accccttcct tccaaagggt
 961 aacctccgcg tgacaggaat gagggtgggg cgcgtggagt ttcccacaat ctgtacttta
 1021 gttaaatacc cgagaattca cctcctgtgt ccacagctct ccacgcccct cagccctgcc
1081 ccgcagccct gtagcagaag tacttagtgc tttgcattct gcgcgccacc ctaccccggc
1141 ctcctctgtg aatcgttgct tccgaaccgg cctcactttt tgcatccgca gagcctccaa
1201 gctcatggcc tccttaggag cgaacccaag gaggacaccg cagggaccga gacctggggc
1261 qqcctcctcc qqcttcccca qcccqqcccc aqtqccqqqc cccaqqqaqq ccqaqqaqqa
1321 ggaagtcgag gaggaggagg agctggccga ggtctctgag gggagtagaa acttgaatgg
1381 agagttgatg ggaagttaga ataaaagagg gttgggagcc gggcgcggtg gctcacacct
1441 qtaatcttag cactttggga gactgaggcg ggcggatcac ctgagctcag gagttggaga
1501 ccaqcctqqq caacatqqcq aaaccccqtc tctactaaaa atataaaaat tagccgaqcq
1561 tggtggcacg tgcctgttat cccagctact gggaaggctg aggcaggaga atcactgtaa
1621 ctcqqqaqqc ggaggttqca atgagctgag attgctccac tgcacttcag cctgggcgac
1681 agagcaagac tccqtctcaa agaaagaaag aaaaaaaaaa cagggttggg aagagctggg
1741 caagtetett accteetgag tggetgttte acatteacta aatgggggtg atgatgeeta
1801 tctcaqaqat ttqaqaaaat qattaaatta tataaqacat ggtaaaccct acacttatga
1861 gtgattctaa tagtgatttc ctttcttcct tgctggacag atccatctgt gtgtqctgtg
1921 gaattcagga tacttgggca ttgcctacta tgatactagt gactccacta tccacttcat
1981 gccagatgcc ccagaccacg agagcctcaa gcttctccag agaggtgggg atggaaccat
2041 gaatteetet getetetggg attgeagatg tgttacacac acacacacac acacacacac
2101 acacacatat tttttttttc tagacagagt cttgctctgt tacccaggct caagtgcagt
2161 ggcgcaatct tggctcactg cagcctccac ctcctgggtt caagcaattc tcctgactca
2221 acctcccgag tagctgggac tacaggcgtg tgccaccaca cccagctagt tttttgtgtg
2281 tqtttttaqc acaqacqqtq tttcaccatq ttgqccagqq tggtctcaaa ctcctgacct
2341 tgtgatccgc ccaccttggc ctcctaaagt gctgggacta caggtgtgag tcaccacgcc
2401 cagccatgtt ttacttacat taactcacct cactgtctag catattttgt gttgctgtaa
2461 qqaaatacct qactctqaqt aatttgttaa aaaaaaaaaa aaagttttat ttggcttatg
2521 qttctqqatq qttqqaaaqc tcaaaattqq qcatcttcac tggtgagagc ctcagactgc
2581 ttcaactcat ggaagaaggg aaggcagggt gtgtagaggt cacatggcag agaagaagca
2641 agggggaggg agatgccagg ctctttttga caaccagctc tctcaggaac taatagagtg
2701 agaactttc actcataccc accaacacac tccaggaagg gcattaatct gttcatgagc
2761 gatecactee cateaceeac acaceteetg etaggeeeta ceteacaaca etateacaet
2821 ggggattaaa tttcaacacg atatttggca gggacaaatc acatccaaac tatagcactg
2881 actcaatata ttttacagtt gcttcacaga ggctccctct tttgttttta tgaattcatt
2941 tcattattta acaaatattt gtgaggctgt tttttggttt gtttggttgt tcttttttga
3001 gacagtgtct tgctccgtca ctcaggctgg aagtgtagtg gtgccatctt ggctcactgc
3061 aacctccqtc tcccqqattc aagcaattct cctgcctcag tctcccgagt agctgggatt
3121 acaaqaatct qccatcacqc ctqqctaatt tttatatttt tagtagaggc agggtttcac
3181 cacqttgqct aggcttqtct tgagctcctg gcctccagtg atctgcctgc cttggcctcc
3241 caaagggcag ggattatagg catgagccac tgtgcctggc cacaaatata tatgagtatt
3301 taccaatqtt tccaqqtqct tcaqqattca qccctgqgca aatcaqtcat gtctgttctc
3361 ccaqqqqttt acaqcctaqt qacaacatcc agaacatccc acttccctct caccatccca
3421 ccactettaa etaettttet aaateteaae ttetaeetgt gtteeeaetg tgeagageae
3481 tccctactcc tagggaggaa atgtttttga gaaggagagg ggtaggaaga ggagggctat
3541 gggttttctc ttagtcaaag acaaagatcc tttaactcat ttgatctctg ttctccttcc
3601 aaqttctqqa tgaqatcaat ccccagtctg ttgttacgag tgccaaacag gatgagaata
3661 tgactcgatt tctgggaaag cttggtaagg acttggtaaa ggatagaggg aaaatgggga
3721 aggactaata tatggaatat tccagggggc tagaattggg tgagagggag tgtcagacag
3781 aggtagaagg actgagatgt aaagaatgat agccttttct ttcctccccc acagcctccc
3841 aggagcacag agagcctaaa agacctgaaa tcatattttt gccaagtgtg gattttggta
3901 teteetteet titigetitige etaacteeet gitteeggitgt eecatteitt eeeceaacte
3961 taccttcatc atcacagatc tecectetge ettatgtcat ectaaacett tgtgeteete
4021 atgecetatg acctgteece ceaagatete teetgeteee taccetttaa taacetgeag
4081 cttattqqqa agcctctqct taaqtcatqt ctagggatga gggcctcccc tgaggagtgg
4141 tqacactttt tqqacaqqqt tttattqttq qaattctccc cattaagtta aagcctttta
4201 tcaccaaacc aaaaggcact gcctcagtga cccttattat gatccataag gcacttctat
4261 aacttteeta ggtttacaat aagaacagga gtgtactate etaattagat attaaggeat
4321 tagtgttact agttctatta ataccattat tttgaccaaa atcctcaatt ccagacagat
4381 gtctactttc ctcagccatt tatctttctc aggctgtgct ttcagacaag tatctttata
4441 ttatatgtag aataaaaaga gaattagact aagagtctga aaatttggtt cttgctctag
4501 ctttccatta actgcctqtq tqaqcttqqq caaqtcaaat aatctctctt gcttctattq
4561 tctcattctt aaaatggggt gaaaaaattg agctacaaga ccgttccctt tgcttgcctc
4621 cctcaaataq qtctqqaqat aaqcaaacaa cgcctccttt ctggaaacta ctccttcatc
4681 ccagacqcca tgactqccac tgagaaaatc ctcttcctct cttccattat tccctttgac
4741 tqcctcctca caqtqaqatt qqtcctqqqq qataaqqqct gggaggcggc acaagtgcta
```

```
4801 gggctgaatt ctgggaggta ctggcctagc cctggaaaat agtaactttc cctggtgctc
  4861 tgcagccccc aggagattta agatttaccc cgattccact gctgatcccc tcccaggttc
  4921 gagcacttgg agggctgctg aagttcctgg gtcgaagaag aatcggggtt gaactggaag
  4981 actataatgt cagcgtcccc atcctgggct ttaagaaatt tatgttgtag gtgattcacc
  5101 qtqqatqtqq ctqtgaccca qtqgqtcaag tgctctagga cacccgggag aatctaaggg
  5161 ctaatqaqac tttqqqaaqa aqactqqqac aatattcaga qaqqqqqaca aaggaagtgg
  5221 agttgtggaa cgaactcaga ctgcttcctg cttttttgtt ttctgtcctc aggactcatc
  5281 tggtgaacat agatcaagac acttacaggt aaagaggtgg aggcatgctg ctgtctctgg
  5341 qqaqqqaqaa qqattaaqtt taatqcccca ataatcctaa tgagqctcta gtttccctaa
  5401 tcctqqqqct attaagatct ctctccttga aggaaaggga aggggggttt tgagggaaag
  5461 aqaqqaaqaa aaqcataaaq atactaqctt tcttttctat agggagaaac tgaggcaaag
  5521 aaaaqtaaqq qacaaacctt acatcaaqat atgatctcqq ctqqqcgcqq tggctcatqc
  5581 ctgtaatccc cgcgctttgg gaggccaagg cgggtggatc gcctgaggtc aggagtttga
  5641 gacctgacca atatggtaaa accccgtctc tactaaaaat ataaaaatta gctgggtgtg
  5701 ttgtgcgcct gtaatcccag ccactcagga ggctgaggca ggattgcttg aatccaggag
  5761 gcagaggttg cagtgagctg aaattgcacc actgcactcc agcctgggcg acagagcgag
  5821 actccatctc aaaaaaaaaa aaaaaaaaaa aaagacgtga tctcaggagg atatcccctg
  5881 tececattee atttateagt ceteaattet tatteeette aaaagteeaa gttaceeeaa
  5941 actcctccat ttctcctcga cagtgttcta cagattttta agagtgagtc tcacccctca
  6001 qtqtacaaaq tqqccaqtqq actqaaqqaq qgqctcaqcc tctttqqtaq gtqtqcccca
  6061 teceteatet cacattacaa agaeetacea gaaaageaat tggeteeaaa gatgtgteee
  6121 agectecett eccaetteae teccattgte agatatetet tteatgecaa tecaaattte
  6181 ttacctattt gtaccccccg cccccaage ttgagcatet teccataett tgtggetgta
  6241 cagtgttgtt gcatatcagc cattacttta ccaattctgt gttccttccc tgggtttgta
  6301 tgaatgtttc tactagttgg gtacctgtta gggactttgg gagaccttgt gtatagagaa
  6361 gagttttgta actgcataac tgcctatttg atttgtatag agtctttatc aagttgtctc
  6421 tggctttagg gtatattagg gacatctccg caaatatcca tatagtttca tatctcagta
  6481 agttgtgtcc aggttttttt tttttttttt tttgagacag agtctcgctc tgtcgcccag
  6541 gctggagtgc agtggtgcaa tatcagctca ctgcaagctc tgcctcctgg gttcacacca
  6601 ttctqctqcc tcaqcctcct gagtagctag gactacaggt gcccaccacg atgcctggct
  6661 aatttttgta tttttagtag agaacgggtt tcactgtgtt agccaggatg atctcgatct
  6721 cctgacctcg tgatccgtcc acctcggcct cccaaagtgc tgggattaca ggcgtgagcc
  6781 accgcgcctg gccagttgtg tccagttttg tgtgtgtgtg
                         GENBANK.RTM.
                                      COPYRIGHT 2002
                       AF048987
LOCUS (LOC):
                                    GenBank (R)
```

L16 ANSWER 18 OF 25

GenBank ACC. NO. (GBN): AF048987 CAS REGISTRY NO. (RN): 207662-24-6

SEQUENCE LENGTH (SQL): 112

mRNA; linear MOLECULE TYPE (CI): DIVISION CODE (CI): Primates

6 Oct 1998 DATE (DATE): DEFINITION (DEF):

Homo sapiens MutS homolog 5

(MSH5) mRNA, 5' untranslated region.

SOURCE: human.

Homo sapiens ORGANISM (ORGN):

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;

Hominidae; Homo

NUCLEIC ACID COUNT (NA): 11 a 43 c 20 t 38 g

(bases 1 to 112) REFERENCE: 1 AUTHOR (AU): Her, C.; Doggett, N.A.

Cloning, structural characterization, and chromosomal TITLE (TI): localization of the human orthologue of Saccharomyces

cerevisiae MSH5 gene

Genomics, 52 (1), 50-61 (1998) JOURNAL (SO):

OTHER SOURCE (OS): CA 130:1059

REFERENCE: (bases 1 to 112) AUTHOR (AU): Her, C.; Doggett, N. Direct Submission TITLE (TI):

Submitted (17-FEB-1998) Life Sciences Division and JOURNAL (SO): Center for Human Genome Studies, Mail Stop: M888, Los Alamos National Laboratory, Los Alamos, NM 87545, USA

```
FEATURES (FEAT):
                 Location
                                         Qualifier
  Feature Key
_________________
                                     /organism="Homo sapiens"
source
             1..112
                                     /db-xref="taxon:9606"
                                     /chromosome="6"
                                     /map="6p21.3"
                                     /gene="MSH5"
               1..112
gene
                                     /note="MutS homolog 5"
                                     /gene="MSH5"
5'UTR
               1..112
                                     /note="alternatively spliced"
SEQUENCE (SEQ):
    1 gggcgcgtgc gcgcgcacct cgctcacgcg ccggcgcgct ccttttgcag gctcgtggcg
    61 gtcggtcagc ggggcgttct cccacctgta gcgactcaga gcctccaagc tc
                        GENBANK.RTM. COPYRIGHT 2002
L16 ANSWER 19 OF 25
                      AF048986
                                  GenBank (R)
LOCUS (LOC):
GenBank ACC. NO. (GBN): AF048986
CAS REGISTRY NO. (RN): 207662-23-5
SEQUENCE LENGTH (SQL): 2873
MOLECULE TYPE (CI): mRNA; linear DIVISION CODE (CI): Primates
                     6 Oct 1998
DATE (DATE):
DEFINITION (DEF): Homo sapiens MutS homolog 5
                      (MSH5) mRNA, complete cds.
SOURCE:
                      human.
ORGANISM (ORGN):
                      Homo sapiens
                      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
                      Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini;
                      Hominidae: Homo
                                              671 t
NUCLEIC ACID COUNT (NA): 675 a 774 c
                                      753 g
                      1 (bases 1 to 2873)
REFERENCE:
                      Her, C.; Doggett, N.A.
  AUTHOR (AU):
                      Cloning, structural characterization, and chromosomal
  TITLE (TI):
                      localization of the human orthologue of Saccharomyces
                      cerevisiae MSH5 gene
                      Genomics, 52 (1), 50-61 (1998)
  JOURNAL (SO):
  OTHER SOURCE (OS): CA 130:1059
                      2 (bases 1 to 2873)
REFERENCE:
  AUTHOR (AU):
                      Her, C.; Doggett, N.
                      Direct Submission
  TITLE (TI):
                      Submitted (17-FEB-1998) Life Sciences Division and
  JOURNAL (SO):
                      Center for Human Genome Studies, Mail Stop: M888, Los
                      Alamos National Laboratory, Los Alamos, NM 87545, USA
FEATURES (FEAT):
  Feature Key Location
                                        Qualifier
/organism="Homo sapiens"
             1..2873
source
                                     /db-xref="taxon:9606"
                                     /chromosome="6"
                                     /map="6p21.3"
                                     /gene="MSH5"
gene
              1..2873
CDS
               207..2711
                                     /gene="MSH5"
                                     /codon-start=1
                                     /product="MutS homolog 5"
                                     /protein-id="AAC62533.1"
                                     /db-xref="GI:3108220"
                                     /translation="MASLGANPRRTPQGPRPGAA
                                     SSGFPSPAPVPGPREAEEEEVEEE
                                     EELAEIHLCVLWNSGYLGIAYYDTSDSTIHFMPD
                                     APDHESLKLLQRVLDEINPQSVVT
```

SAKODENMTRFLGKLASOEHREPKRPEIIFLPSV DFGLEISKQRLLSGNYSFIPDAMT ATEKILFLSSIIPFDCLLTVRALGGLLKFLGRRR IGVELEDYNVSVPILGFKKFMLTH LVNIDODTYSVLOIFKSESHPSVYKVASGLKEGL SLFGILNRCHCKWGEKLLRLWFTR PTHDLGELSSRLDVIQFFLLPQNLDMAQMLHRLL GHIKNVPLILKRMKLSHTKVSDWO VLYKTVYSALGLRDACRSLPQSIQLFRDIAQEFS DDLHHIASLIGKVVDFEGSLAENR FTVLPNIDPEIDEKKRRLMGLPSFLTEVARKELE NLDSRIPSCSVIYIPLIGFLLSIP RLPSMVEASDFEINGLDFMFLSEEKLHYRSARTK ELDALLGDLHCEIRDQETLLMYQL QCQVLARAAVLTRVLDLASRLDVLLALASAARDY GYSRPRYSPOVLGVRIQNGRHPLM ELCARTFVPNSTECGGDKGRVKVITGPNSSGKSI YLKQVGLITFMALVGSFVPAEEAE IGAVDAIFTRIHSCESISLGLSTFMIDLNQVAKA VNNATAQSLVLIDEFGKGTNTVDG LALLAAVLRHWLARGPTCPHIFVATNFLSLVOLO LLPQGPLVQYLTMETCEDGNDLVF FYQVCEGVAKASHASHTAAQAGLLDKLVARGKEV SDLIRSGKPIKPVKDLLKKNQMEN CQTLVDKFMKLDLEDPNLDLNVFMSQEVLPAATS T T."

SEQUENCE (SEQ):

```
1 gtcagcgggg cgttctccca cctgtagcga ctcaggttac tgaaaaggcg ggaaaacgct
  61 gcgatggcgg cagctggggg aggaggaaga taagcgcgtg aggctggggt cctggcgcgt
 121 ggttggcaga ggcagagaca taagacgtgc acgactcgcc ccacagggcc ctcagacccc
 181 ttccttccaa aggagcctcc aagctcatgg cctccttagg agcgaaccca aggaggacac
 241 cqcaqqqacc qaqacctqqq qcqqcctcct ccqqcttccc caqcccqqcc ccaqtqccqq
 301 gccccaggga ggccgaggag gaggaagtcg aggaggagga ggagctggcc gagatccatc
 361 tgtgtgtgct gtggaattca ggatacttgg gcattgccta ctatgatact agtgactcca
 421 ctatccactt catqccagat qccccagacc acqagagcct caagcttctc cagagagttc
 481 tggatgagat caatccccag tctgttgtta cgagtgccaa acaggatgag aatatgactc
 541 gatttctggg aaagcttgcc tcccaggagc acagagagcc taaaagacct gaaatcatat
 601 ttttgccaag tgtggatttt ggtctggaga taagcaaaca acgcctcctt tctggaaact
 661 actccttcat cccagacgcc atgactgcca ctgagaaaat cctcttcctc tcttccatta
 721 ttccctttga ctgcctcctc acagttcgag cacttggagg gctgctgaag ttcctgggtc
 781 gaagaagaat cgqqqttgaa ctqqaagact ataatqtcaq cgtccccatc ctqqqcttta
 841 agaaatttat gttgactcat ctggtgaaca tagatcaaga cacttacagt gttctacaga
 901 tttttaaqaq tqaqtctcac ccctcaqtqt acaaaqtqqc caqtqqactq aagqaqqqqc
 961 tcagcctctt tggaatcctc aacagatgcc actgtaagtg gggagagaag ctgctcaggc
1021 tatggttcac acgtccgact catgacctgg gggagctcag ttctcgtctg gacgtcattc
1081 agttttttct gctgccccag aatctggaca tggctcagat gctgcatcgg ctcctgggtc
1141 acatcaagaa cgtgcctctg attctgaaac gcatgaagtt gtcccacacc aaggtcagcg
1201 actggcaggt tctctacaag actgtgtaca gtgccctggg cctgagggat gcctgccgct
1261 ccctgccgca gtccatccag ctctttcggg acattgccca agagttctct gatgacctgc
1321 accatatcgc cagcctcatt gggaaagtag tggactttga gggcagcctt gctgaaaatc
1381 gcttcacagt cctccccaac atagatcctg aaattgatga gaaaaagcga agactgatgg
1441 gacttcccag tttccttact gaggttgccc gcaaggagct ggagaatctg gactcccgta
1501 ttccttcatg cagtgtcatc tacatccctc tgattggctt ccttctttct attccccgcc
1561 tgccttccat ggtagaggcc agtgactttg agattaatgg actggacttc atgtttctct
1621 cagaggagaa qetqeactat eqtaqtqeee qaaccaagga qetqqatqea ttgetqqqqq
1681 acctgcactg cgagatccgg gaccaggaga cgctgctgat gtaccagcta cagtgccagg
1741 tgctgqcacg agcagctgtc ttaacccgaq tattggacct tgcctcccqc ctggacgtcc
1801 tgctggctct tgccagtgct gcccgggact atggctactc aaggccgcgt tactccccac
1861 aagteettgg ggtacgaate cagaatggea gacateetet gatggaacte tgtgeeegaa
1921 cctttgtgcc caactccaca gaatgtggtg gggacaaagg gagggtcaaa gtcatcactg
1981 gacccaactc atcagggaag agcatatacc tcaaacaggt aggcttgatc acattcatgg
2041 ccctggtagg cagctttgtg ccagcagagg aggccgaaat tggggcagta gacgccatct
2101 teacacquat teatagetge quatecatet ceettggeet etecacette atgategace
2161 tcaaccaggt ggcgaaagca gtgaacaatg ccactgcaca gtcgctggtc cttattgatg
```

```
2221 aatttqqaaa qqqaaccaac acggtggatg ggctcgcgct tctggccgct gtgctccgac
  2281 actggctggc acgtggaccc acatgccccc acatctttgt ggccaccaac tttctgagcc
  2341 ttgttcagct acaactgctg ccacaagggc ccctggtgca gtatttgacc atggagacct
  2401 gtgaggatgg caacgatctt gtcttcttct atcaggtttg cgaaggtgtt gcgaaggcca
  2461 gccatgcctc ccacacagct gcccaggctg ggcttcttga caagcttgtg gctcgtggca
  2521 aggaggtete agaettgate egeagtggaa aacceateaa geetgteaag gatttgetaa
  2581 agaagaacca aatggaaaat tgccagacat tagtggataa gtttatgaaa ctggatttgg
  2641 aagatcctaa cctggacttg aacgttttca tgagccagga agtgctgcct gctgccacca
  2701 gcatcctctg agagtccttc cagtgtcctc cccagcctcc tgagactccg gtgggctgcc
  2761 atgccctctt tgtttcctta tctccctcag acgcagagtt tttagtttct ctagaaattt
  ANSWER 20 OF 25 DGENE (C) 2002 THOMSON DERWENT
L16
AN
      AAA62961 DNA
                         DGENE
ΤI
      New transgenic mouse comprising a misexpressed MutS
      homolog 5 (MSH5) gene, useful for screening compounds
      that can be used for treating MSH5-related disorders, e.g. fertility
      disorders -
      Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
TN
                 UNIV YESHIVA EINSTEIN COLLEGE.
PA
                 DANA FARBER CANCER INST INC.
      WO 2000036910 A1 20000629
                                              44p
PΙ
     WO 1999-US30958 19991222
AΙ
PRAI
     US 1998-113487
                      19981222
      Examples; Page 19
PSL
DED
      14 NOV 2000 (first entry)
DΤ
      Patent
      English
LА
OS
      2000-442485 [38]
     Reverse PCR primer used to identify MSH5 containing ES cell colonies.
DESC
     MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility;
KW
      transgenic mouse; fertility treatment; fertility disease; meiosis;
      contraceptive; PCR primer; ss.
ORGN
     Unidentified.
      This invention relates to a transgenic mouse, in which the MutS homologue
AB
      5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family
      of proteins involved in DNA mismatch repair. Animals which are homozygous
      for a null mutation in the MSH5 gene are sterile, and can be used in a
     method for evaluating a fertility treatment. Included in the invention
      are a method for identifying compounds which modulate MSH5 activity, a
     method for modulating the activity of MSH5, and a method for identifying
      individuals at risk of developing a fertility disease or disorder. The
      transgenic mouse can be used to screen for treatments for MSH5-related
     disorders, e.g. fertility disorders. Cells derived from the transgenic
     mouse can be used to define the mechanism of MSH5 function in cell
     processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids,
     MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity
      of MSH5 are useful as contraceptives. The present sequence represents a
      PCR primer used to identify ES cell colonies which are successfully
      transfected with a Msh5 containing vector pMsh5ex18 in examples used to
      illustrate the methods of the invention.
      5 A; 2 C; 9 G; 4 T; 0 other
NA
SQL
     20
SEQ
        1 tggaaggatt ggagctacgg
      ANSWER 21 OF 25 DGENE (C) 2002 THOMSON DERWENT
L16
AN
      AAA62960 DNA
                         DGENE
     New transgenic mouse comprising a misexpressed MutS
TI
     homolog 5 (MSH5) gene, useful for screening compounds
      that can be used for treating MSH5-related disorders, e.g. fertility
      disorders -
      Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
IN
PA
                 UNIV YESHIVA-EINSTEIN COLLEGE.
      (YESH)
                 DANA FARBER CANCER INST INC.
      (DAND)
```

```
WO 2000036910 A1 20000629
                                               44p
PΙ
      WO 1999-US30958 19991222
ΑI
PRAI
      US 1998-113487
                       19981222
      Examples; Page 19
DED
      14 NOV 2000 (first entry)
DT
      Patent
      English
T.A
      2000-442485 [38]
OS
      Forward PCR primer used to identify MSH5 containing ES cell colonies.
DESC
      MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility;
KW
      transgenic mouse; fertility treatment; fertility disease; meiosis;
      contraceptive; PCR primer; ss.
      Unidentified.
ORGN
AB
      This invention relates to a transgenic mouse, in which the MutS homologue
      5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family
      of proteins involved in DNA mismatch repair. Animals which are homozygous
      for a null mutation in the MSH5 gene are sterile, and can be used in a
      method for evaluating a fertility treatment. Included in the invention
      are a method for identifying compounds which modulate MSH5 activity, a
      method for modulating the activity of MSH5, and a method for identifying
      individuals at risk of developing a fertility disease or disorder. The
      transgenic mouse can be used to screen for treatments for MSH5-related
      disorders, e.g. fertility disorders. Cells derived from the transgenic
      mouse can be used to define the mechanism of MSH5 function in cell
      processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids,
     MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity
      of MSH5 are useful as contraceptives. The present sequence represents a
      PCR primer used to identify ES cell colonies which are successfully
      transfected with a Msh5 containing vector pMsh5ex18 in examples used to
      illustrate the methods of the invention.
NA
      5 A; 6 C; 6 G; 4 T; 0 other
SQL
      21
SEQ
        1 agctggagaa cctggactct c
L16
      ANSWER 22 OF 25 DGENE (C) 2002 THOMSON DERWENT
ΑN
      AAA62959 DNA
                          DGENE
TΤ
      New transgenic mouse comprising a misexpressed MutS
      homolog 5 (MSH5) gene, useful for screening compounds
      that can be used for treating MSH5-related disorders, e.g. fertility
      disorders -
IN
      Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
                  UNIV YESHIVA EINSTEIN COLLEGE.
PA
      (YESH)
      (DAND)
                  DANA FARBER CANCER INST INC.
PΙ
     WO 2000036910 A1 20000629
                                               44p
ΑI
     WO 1999-US30958 19991222
PRAI
     US 1998-113487
                       19981222
PSL
      Examples; Page 18
DED
      14 NOV 2000 (first entry)
DT
      Patent
LA
      English
OS
      2000-442485 [38]
     Antisense PCR primer used for cloning the mouse Msh5 gene.
DESC
     MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility;
      transgenic mouse; fertility treatment; fertility disease; meiosis;
      contraceptive; PCR primer; ss.
ORGN
     Homo sapiens.
AB
     This invention relates to a transgenic mouse, in which the MutS homologue
      5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family
      of proteins involved in DNA mismatch repair. Animals which are homozygous
      for a null mutation in the MSH5 gene are sterile, and can be used in a
     method for evaluating a fertility treatment. Included in the invention
     are a method for identifying compounds which modulate MSH5 activity, a
     method for modulating the activity of MSH5, and a method for identifying
      individuals at risk of developing a fertility disease or disorder. The
```

transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

NA 7 A; 6 C; 11 G; 4 T; 0 other SOL SEQ 1 gctgggggg acactggaag gactctca ANSWER 23 OF 25 DGENE (C) 2002 THOMSON DERWENT L16 **DGENE** AAA62958 DNA ANNew transgenic mouse comprising a misexpressed MutS ΤI homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S IN UNIV YESHIVA EINSTEIN COLLEGE. PA (YESH) DANA FARBER CANCER INST INC. (DAND) WO 2000036910 A1 20000629 44p PΙ WO 1999-US30958 19991222 ΑI PRAI US 1998-113487 19981222 PSL Examples; Page 18 14 NOV 2000 (first entry) DED DTPatent LΑ English 2000-442485 [38] os DESC Sense PCR primer used for cloning the mouse Msh5 gene. MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility; KW transgenic mouse; fertility treatment; fertility disease; meiosis; contraceptive; PCR primer; ss. ORGN Homo sapiens. This invention relates to a transgenic mouse, in which the MutS homologue AΒ 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence. NA 6 A; 11 C; 3 G; 7 T; 0 other SQL 27 SEQ 1 ctccactatc cacttcatgc cagatgc ANSWER 24 OF 25 DGENE (C) 2002 THOMSON DERWENT L16

AN AAA62957 DNA **DGENE** ΤI New transgenic mouse comprising a misexpressed MutS homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5-related disorders, e.g. fertility disorders -IN Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

(YESH) UNIV YESHIVA EINSTEIN COLLEGE. PA DANA FARBER CANCER INST INC. (DAND)

```
44p
      WO 2000036910 A1 20000629
PΙ
      WO 1999-US30958 19991222
ΑI
                      19981222
PRAI
     US 1998-113487
      Examples; Page 18
PSL
      14 NOV 2000 (first entry)
DED
DТ
      Patent
      English
LА
os
      2000-442485 [38]
      Antisense PCR primer for amplification of the mouse Msh5 gene.
DESC
      MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility;
      transgenic mouse; fertility treatment; fertility disease; meiosis;
      contraceptive; PCR primer; ss.
     Homo sapiens.
ORGN
      This invention relates to a transgenic mouse, in which the MutS homologue
AB
      5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family
      of proteins involved in DNA mismatch repair. Animals which are homozygous
      for a null mutation in the MSH5 gene are sterile, and can be used in a
      method for evaluating a fertility treatment. Included in the invention
      are a method for identifying compounds which modulate MSH5 activity, a
     method for modulating the activity of MSH5, and a method for identifying
      individuals at risk of developing a fertility disease or disorder. The
      transgenic mouse can be used to screen for treatments for MSH5-related
      disorders, e.g. fertility disorders. Cells derived from the transgenic
     mouse can be used to define the mechanism of MSH5 function in cell
     processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids,
     MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity
      of MSH5 are useful as contraceptives. The present sequence represents a
      PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is
     based on the human Msh5 cDNA sequence.
      6 A; 6 C; 5 G; 3 T; 0 other
NA
SQL
      20
SEQ
        1 ccagaactct ctggagaagc
      ANSWER 25 OF 25 DGENE (C) 2002 THOMSON DERWENT
L16
      AAA62956 DNA
                          DGENE
AN
ΤI
     New transgenic mouse comprising a misexpressed MutS
     homolog 5 (MSH5) gene, useful for screening compounds
      that can be used for treating MSH5-related disorders, e.g. fertility
      Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
IN
                  UNIV YESHIVA EINSTEIN COLLEGE.
PA
      (YESH)
      (DAND)
                  DANA FARBER CANCER INST INC.
PΙ
     WO 2000036910 A1 20000629
                                               44p
     WO 1999-US30958 19991222
ΑI
                       19981222
PRAI
     US 1998-113487
      Examples; Page 18
PSL
      14 NOV 2000 (first entry)
DED
DT
      Patent
LΑ
      English
os
      2000-442485 [38]
DESC
     Sense PCR primer for amplification of the mouse Msh5 gene.
     MutS homologue 5; MSH5; DNA mismatch repair; sterile; fertility;
      transgenic mouse; fertility treatment; fertility disease; meiosis;
      contraceptive; PCR primer; ss.
ORGN
     Homo sapiens.
      This invention relates to a transgenic mouse, in which the MutS homologue
AB
      5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family
      of proteins involved in DNA mismatch repair. Animals which are homozygous
      for a null mutation in the MSH5 gene are sterile, and can be used in a
     method for evaluating a fertility treatment. Included in the invention
      are a method for identifying compounds which modulate MSH5 activity, a
     method for modulating the activity of MSH5, and a method for identifying
```

individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5-related

disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

NA 5 A; 3 C; 7 G; 6 T; 0 other

SQL 21

1 gtgctgtgga attcaggata c

=>

SEQ

```
=> s 11
           , 6 FILE DGENE
L11
             3 FILE USPATFULL
L12
L13
             2 FILE CABA
             1 FILE BIOTECHDS
L14
L15
             1 FILE CAPLUS
L16
             1 FILE PROMT
L17
             1 FILE WPIDS
L18
             1 FILE NLDB
TOTAL FOR ALL FILES
L19
            16 L1
=> d 119 1-16 ibib abs
      ANSWER 1 OF 16 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAA62961 DNA
                                      DGENE
TITLE:
                  New transgenic mouse comprising a misexpressed MutS
                  homolog 5 (MSH5) gene, useful for screening
                  compounds that can be used for treating MSH5
                  -related disorders, e.g. fertility disorders -
                  Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
INVENTOR:
PATENT ASSIGNEE:
                  (YESH) UNIV YESHIVA EINSTEIN COLLEGE.
                  DANA FARBER CANCER INST INC.
      (DAND)
PATENT INFO:
                  WO 2000036910 A1 20000629
                                                           44p
APPLICATION INFO: WO 1999-US30958 19991222
                 US 1998-113487
PRIORITY INFO:
                                   19981222
DOCUMENT TYPE:
                 Patent
                  English
LANGUAGE:
OTHER SOURCE:
                  2000-442485 [38]
      AAA62961 DNA
AN
                          DGENE
AB
      This invention relates to a transgenic mouse, in which the MutS homologue
      5 (MSH5) gene is misexpressed. The MSH5 protein is a
      member of a family of proteins involved in DNA mismatch repair. Animals
      which are homozygous for a null mutation in the MSH5 gene are
      sterile, and can be used in a method for evaluating a fertility
      treatment. Included in the invention are a method for identifying
      compounds which modulate MSH5 activity, a method for modulating
      the activity of MSH5, and a method for identifying individuals
      at risk of developing a fertility disease or disorder. The
      transgenic mouse can be used to screen for treatments for MSH5
      -related disorders, e.g. fertility disorders. Cells derived
      from the transgenic mouse can be used to define the mechanism of
      MSH5 function in cell processes, e.g. meiosis. Compounds (e.g.
      antisense MSH5 nucleic acids, MSH5 antibodies,
      MSH5 agonists or antagonists) that modulate the activity of
      MSH5 are useful as contraceptives. The present sequence
      represents a PCR primer used to identify ES cell colonies which are
      successfully transfected with a Msh5 containing vector
      pMsh5ex18 in examples used to illustrate the methods of the invention.
      ANSWER 2 OF 16 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAA62960 DNA
TITLE:
                  New transgenic mouse comprising a misexpressed MutS
                  homolog 5 (MSH5) gene, useful for screening
                  compounds that can be used for treating MSH5
                  -related disorders, e.g. fertility disorders -
INVENTOR:
                  Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S
PATENT ASSIGNEE:
                 (YESH) UNIV YESHIVA EINSTEIN COLLEGE.
                  DANA FARBER CANCER INST INC.
      (DAND)
                 WO 2000036910 A1 20000629
PATENT INFO:
                                                           44p
APPLICATION INFO: WO 1999-US30958 19991222
PRIORITY INFO: US 1998-113487 19981222
DOCUMENT TYPE:
                 Patent
```

LANGUAGE:

English

OTHER SOURCE: 2000-442485 [38]

AAA62960 DNA AN DGENE

This invention relates to a transgenic mouse, in which the MutS homologue AB 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5 -related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to identify ES cell colonies which are successfully transfected with a Msh5 containing vector pMsh5ex18 in examples used to illustrate the methods of the invention.

ANSWER 3 OF 16 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAA62959 DNA **DGENE**

TITLE: New transgenic mouse comprising a misexpressed MutS

> homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5 -related disorders, e.g. fertility disorders -

Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S INVENTOR:

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

DANA FARBER CANCER INST INC. (DAND)

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AAA62959 DNA DGENE AN

AΒ This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5 -related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

ANSWER 4 OF 16 DGENE (C) 2002 THOMSON DERWENT L19

ACCESSION NUMBER: AAA62958 DNA DGENE

TITLE: New transgenic mouse comprising a misexpressed MutS

> homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5 -related disorders, e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

DANA FARBER CANCER INST INC. (DAND)

WO 2000036910 A1 20000629 PATENT INFO:

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent English LANGUAGE:

OTHER SOURCE: 2000-442485 [38] AAA62958 DNA DGENE AN

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5 -related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to clone the coding sequence of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

44p

ANSWER 5 OF 16 DGENE (C) 2002 THOMSON DERWENT L19

ACCESSION NUMBER: AAA62957 DNA DGENE

New transgenic mouse comprising a misexpressed MutS TITLE:

> homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5 -related disorders, e.g. fertility disorders -

INVENTOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: (YESH) UNIV YESHIVA EINSTEIN COLLEGE.

DANA FARBER CANCER INST INC. (DAND)

PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AAA62957 DNA ΑN DGENE

AB This invention relates to a transgenic mouse, in which the MutS homologue 5 (MSH5) gene is misexpressed. The MSH5 protein is a member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5 -related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

ANSWER 6 OF 16 DGENE (C) 2002 THOMSON DERWENT L19

ACCESSION NUMBER: AAA62956 DNA DGENE

New transgenic mouse comprising a misexpressed MutS TITLE:

> homolog 5 (MSH5) gene, useful for screening compounds that can be used for treating MSH5 -related disorders, e.g. fertility disorders -

Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S INVENTOR:

PATENT ASSIGNEE: (YESH)UNIV YESHIVA EINSTEIN COLLEGE.

(DAND) DANA FARBER CANCER INST INC. PATENT INFO: WO 2000036910 A1 20000629 44p

APPLICATION INFO: WO 1999-US30958 19991222 PRIORITY INFO: US 1998-113487 19981222

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: 2000-442485 [38] AAA62956 DNA DGENE

This invention relates to a transgenic mouse, in which the MutS homologue AB 5 (MSH5) gene is misexpressed. The MSH5 protein is a

member of a family of proteins involved in DNA mismatch repair. Animals which are homozygous for a null mutation in the MSH5 gene are sterile, and can be used in a method for evaluating a fertility treatment. Included in the invention are a method for identifying compounds which modulate MSH5 activity, a method for modulating the activity of MSH5, and a method for identifying individuals at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen for treatments for MSH5 -related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies,

MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The present sequence represents a PCR primer used to obtain a segment of the mouse Msh5 gene. The primer is based on the human Msh5 cDNA sequence.

L19 ANSWER 7 OF 16 USPATFULL

ACCESSION NUMBER: 2002:112540 USPATFULL

TITLE: Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

proteins

Fishel, Richard A., Penn Valley, PA, UNITED STATES INVENTOR(S):

Gradia, Scott, Philadelphia, PA, UNITED STATES Acharya, Samir, Philadelphia, PA, UNITED STATES

Thomas Jefferson University, Philadelphia, PA, UNITED PATENT ASSIGNEE(S):

STATES, 19107-5587 (U.S. corporation)

NUMBER KIND DATE ______ US 2002058275 A1 US 2001-934909 A1 PATENT INFORMATION: 20020516 APPLICATION INFO.: 20010822 (9)

Division of Ser. No. US 1998-143571, filed on 28 Aug RELATED APPLN. INFO.:

1998, PENDING

NUMBER DATE ______ US 1998-93935P 19980723 (60) US 1997-66977P 19971128 (60) US 1997-57136P 19970828 (60) PRIORITY INFORMATION: DOCUMENT TYPE: Utility

FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P., ONE COMMERCE

SQUARE, 2005 MARKET STREET, SUITE 2200, PHILADELPHIA,

PA, 19103 55

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

1

NUMBER OF DRAWINGS:

25 Drawing Page(s)

LINE COUNT:

4648

AB Compositions, and products comprising a MutS homolog

which binds to a mismatched region of a duplex DNA molecule in the

presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of

MutL homolog derivatives in combination with MutS homologs is also included. Nonhuman mammals which are

nullizygous for both Msh2 and p53 are also provided, as are methods of

making and using the same.

L19 ANSWER 8 OF 16 USPATFULL

ACCESSION NUMBER:

2002:72639 USPATFULL

TITLE:

Mammalian SUV39H2 proteins and isolated DNA molecules

encoding them

INVENTOR(S):

Jenuwein, Thomas, Wien, AUSTRIA

O'Carroll, Donal, Greystones, IRELAND

Rea, Stephen, Headford, IRELAND

NUMBER		DATE	
 2002039776 2001-876224	A1 A1	20020404 20010608	(9)

DOCUMENT TYPE: FILE SEGMENT:

Utility APPLICATION

LEGAL REPRESENTATIVE: ST

STERNE, KESSLER, GOLDSTEIN & FOX PLLC, 1100 NEW YORK

AVENUE, N.W., SUITE 600, WASHINGTON, DC, 20005-3934

NUMBER OF CLAIMS:

21

EXEMPLARY CLAIM:
NUMBER OF DRAWINGS:

34 Drawing Page(s)

LINE COUNT:

2674

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Murine and human Suv39h2 polypeptide and DNA molecules encoding them. Suv39h2 is a novel member of the Suv3-9 gene family. Suv39h2 is a novel component of meiotic higher order chromatin. It has histone methyltransferase activity and is required, in combination with Suv39h1, for male gametogenesis. Suv39h2 can be used in screening methods to identify modulators of its methyltransferase activity, which are useful in cancer therapy and for male contraception.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L19 ANSWER 9 OF 16 USPATFULL

ACCESSION NUMBER:

2001:235086 USPATFULL

TITLE:

Compositions, kits, and methods for effecting adenine

nucleotide modulation of DNA mismatch recognition

proteins

INVENTOR(S):

Fishel, Richard A., Penn Valley, PA, United States

Gradia, Scott, Philadelphia, PA, United States Acharya, Samir, Philadelphia, PA, United States

PATENT ASSIGNEE(S):

Thomas Jefferson University, Philadelphia, PA, United

States (U.S. corporation)

	NUMBER	KIND	DATE	
		<u>-</u>		
PATENT INFORMATION:	US 6333153	B1	20011225	
APPLICATION INFO.:	US 1998-143571		19980828	(9)

NUMBER DATE

US 1998-93935P PRIORITY INFORMATION: 19980723 (60)

19971128 (60) US 1997-66977P US 1997-57136P 19970828 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Zitomer, Stephanie W.

Akin, Gump, Strauss, Hauer & Feld, L.L.P. LEGAL REPRESENTATIVE:

NUMBER OF CLAIMS: EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 49 Drawing Figure(s); 25 Drawing Page(s)

LINE COUNT: 4750

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Compositions, and products comprising a MutS homolog

which binds to a mismatched region of a duplex DNA molecule in the presence of ADP are provided, as are methods of binding MutS homologs to mismatched DNA in the presence of ADP. The use of MutL homolog derivatives in combination with MutS

homologs is also included. Nonhuman mammals which are nullizygous for both Msh2 and p53 are also provided, as are methods of

making and using the same.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L19 ANSWER 10 OF 16 CABA COPYRIGHT 2002 CABI

ACCESSION NUMBER:

1999:142126 CABA

DOCUMENT NUMBER:

990107600

TITLE:

Mammalian MutS homologue 5 is required for

chromosome pairing in meiosis

AUTHOR:

Edelmann, W.; Cohen, P. E.; Kneitz, B.; Winand, N.;

Lia, M.; Heyer, J.; Kolodner, R.; Pollard, J. W.;

Kucherlapati, R.

CORPORATE SOURCE:

Department of Cell Biology, Albert Einstein College of Medicine, 1300 Morris Park Avenue, Bronx, New

York 10461, USA.

SOURCE:

Nature Genetics, (1999) Vol. 21, No. 1, pp. 123-127.

30 ref.

ISSN: 1061-4036

DOCUMENT TYPE:

LANGUAGE:

Journal English

To assess the role of MutS homologue 5 (Msh5), a member of a family of proteins involved in DNA repair, in mammals, mice with a null mutation in Msh5 were generated. Msh5-/- mice were viable but sterile. Meiosis in these mice was affected due to the disruption of chromosome pairing in prophase I. This meiotic failure led to a diminution in testicular size and a complete loss of ovarian structures. It is concluded that normal Msh5 function is

essential for meiotic progression and, in females, gonadal maintenance.

L19 ANSWER 11 OF 16 CABA COPYRIGHT 2002 CABI

ACCESSION NUMBER:

1999:54998 CABA

DOCUMENT NUMBER:

TITLE:

Mouse MutS-like protein Msh5 is required

for proper chromosome synapsis in male and female

meiosis

AUTHOR:

Vries, S. S. de; Baart, E. B.; Dekker, M.; Siezen, A.; Rooij, D. G. de; Boer, P. de; Riele, H. te; de Vries, S. S.; de Rooij, D. G.; de Boer, P.; te

Riele, H.

CORPORATE SOURCE:

Division of Molecular Carcinogenesis, Netherlands Cancer Institute, 1066 CX Amsterdam, Netherlands.

SOURCE:

Genes & Development, (1999) Vol. 13, No. 5, pp.

523-531. 42 ref.

ISSN: 0890-9369

DOCUMENT TYPE: Journal LANGUAGE: English

AB Members of the mammalian mismatch repair protein family of MutS and MutL homologues have been implicated in postreplicative mismatch correction and chromosome interactions during meiotic recombination. It was shown that mice carrying a disruption in the MutS homologue Msh5 exhibit a meiotic defect, leading to male and female sterility. Histological and cytological examination of cells during prophase I in both sexes revealed an extended zygotene stage, characterized by impaired and aberrant chromosome synapsis, which was followed by apoptotic cell death. It is concluded that mouse Msh5 promotes synapsis of homologous chromosomes in meiotic prophase I.

L19 ANSWER 12 OF 16 BIOTECHDS COPYRIGHT 2002 THOMSON DERWENT AND ISI

ACCESSION NUMBER: 2000-11710 BIOTECHDS

TITLE: New transgenic mouse comprising a misexpressed MutS

homolog 5 (MSH5) gene, useful for screening
compounds that can be used for treating MSH5
-related disorders, e.g. fertility disorders;

involving vector-mediated MutS-5 gene transfer for

expression in mouse cell

AUTHOR: Edelmann W; Kolodner R D; Pollard J W; Kucherlapati R S

PATENT ASSIGNEE: Albert-Einstein-Coll.Med.; Dana-Farber-Cancer-Inst.

LOCATION: Bronx, NY, USA; Boston, MA, USA.

PATENT INFO: WO 2000036910 29 Jun 2000 APPLICATION INFO: WO 1999-US30958 22 Dec 1999 PRIORITY INFO: US 1998-113487 22 Dec 1998

DOCUMENT TYPE: Patent LANGUAGE: English

OTHER SOURCE: WPI: 2000-442485 [38]

AN 2000-11710 BIOTECHDS

A transgenic mouse comprising a misexpressed MutS AB homolog 5 (MHS5) gene is claimed. Also claimed are: a method of evaluating a fertility treatment; a method for identifying a compound which modulates the activity of MSH5; and a method of identifying a subject having or at risk of developing a fertility disease or disorder. The transgenic mouse can be used to screen treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. meiosis. Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives. The MSH5 gene is disrupted by removal of DNA encoding all or part of the MSH5 protein. The animal is homozygous or heterozygous for the disrupted gene. The disruption is an insertion or a deletion. the method, the treatment is evaluated in vivo or in vitro. (39pp)

L19 ANSWER 13 OF 16 CAPLUS COPYRIGHT 2002 ACS ACCESSION NUMBER: 2000:441556 CAPLUS

DOCUMENT NUMBER: 133:72491

TITLE: Knockout mice with MSH5 gene deleted and

their uses

INVENTOR(S): Edelmann, Winfried; Kolodner, Richard D.; Pollard,

Jeffrey W.; Kucherlapati, Raju S.

PATENT ASSIGNEE(S): Albert Einstein College of Medicine, USA; Dana-Farber

Cancer Institute

SOURCE: PCT Int. Appl., 44 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

```
KIND DATE
     PATENT NO.
                                          APPLICATION NO. DATE
                           -----
                     ----
                                          -----
     WO 2000036910 A1 20000629
                                        WO 1999-US30958 19991222
         W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
             CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
             MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
             SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ,
             BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                      A1 20011010
                                         EP 1999-967642
                                                           19991222
            AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
PRIORITY APPLN. INFO.:
                                       US 1998-113487P P 19981222
                                       WO 1999-US30958 W 19991222
     An animal, e.g., transgenic mouse, in which the MSH5 gene is
AB
     misexpressed. The animal is useful for screening treatments for a no. of
     conditions. Methods for identifying contraceptive agents are
     also described. Heterozygous and homozygous knockout mice were
     constructed by std. methods of stem cell transformation and breeding.
     Homozygous knockout mice were sterile. Males show normal development of
     Leydig and Sertoli cells but no pachytene spermatocytes. Females did not
     show estrous and did not mate.
                               THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS
REFERENCE COUNT:
                               RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
L19 ANSWER 14 OF 16 PROMT COPYRIGHT 2002 Gale Group
                   2000:695206 PROMT
ACCESSION NUMBER:
TITLE:
                   EUROPEAN PATENT DISCLOSURES. (Brief Article)
SOURCE:
                   BIOWORLD Today, (8 Aug 2000) Vol. 11, No. 152.
PUBLISHER:
                   American Health Consultants, Inc.
DOCUMENT TYPE:
                   Newsletter
LANGUAGE:
                   English
WORD COUNT:
                   1892
                    *FULL TEXT IS AVAILABLE IN THE ALL FORMAT*
AB
      Akzo Nobel
                          WO 00/37650 Hepatitis Y virus Arnhem, the
    Netherlands Hepatitis Y virus, genes, and encoded proteins, cells for
     growing the virus; for making vaccines.
     THIS IS THE FULL TEXT: COPYRIGHT 2000 American Health Consultants, Inc.
     Subscription: $1350.00 per year. Published daily (5 times a week).
L19 ANSWER 15 OF 16 WPIDS (C) 2002 THOMSON DERWENT
ACCESSION NUMBER:
                     2000-442485 [38]
                                        WPTDS
DOC. NO. NON-CPI:
                     N2000-330165
DOC. NO. CPI:
                     C2000-134611
TITLE:
                     New transgenic mouse comprising a misexpressed
                     MutS homolog 5 (MSH5) gene,
                     useful for screening compounds that can be used for
                     treating MSH5-related disorders, e.g.
                     fertility disorders.
DERWENT CLASS:
                     B04 D16 P14 S03
INVENTOR(S):
                     EDELMANN, W; KOLODNER, R D; KUCHERLAPATI, R S; POLLARD, J
PATENT ASSIGNEE(S):
                      (DAND) DANA FARBER CANCER INST INC; (YESH) UNIV YESHIVA
                     EINSTEIN COLLEGE
COUNTRY COUNT:
                     90
PATENT INFORMATION:
```

 RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW

W: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

AU 2000023893 A 20000712 (200048)

EP 1139732 A1 20011010 (200167) EN

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

APPLICATION DETAILS:

PATENT NO K	IND	API	PLICATION	DATE
WO 2000036910	A1	WO	1999-US30958	19991222
AU 2000023893	A	ΑU	2000-23893	19991222
EP 1139732	A1	ΕP	1999-967642	19991222
		WO	1999-US30958	19991222

FILING DETAILS:

PAT	TENT NO	KIND			PAT	TENT NO	
AU	200002389	 Э А	Based	on	 WO	200036910	_
ΕP	1139732	A 1	Based	on	WO	200036910	

PRIORITY APPLN. INFO: US 1998-113487P 19981222

AN 2000-442485 [38] WPIDS

AB WO 200036910 A UPAB: 20000811

NOVELTY - A transgenic mouse comprising a misexpressed MutS homolog 5 (MSH5) gene, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (1) a method (M1) of evaluating a fertility treatment, comprising:
- (a) administering the treatment to an MSH5 misexpressing animal or a cell derived from it; and
- (b) determining the effect of the treatment on a fertility indication;
- (2) a method (M2) for identifying a compound which modulates the activity of MSH5, comprising:
 - (a) contacting MSH5 with a test compound; and
- (b) determining the effect of the test compound on the activity of MSH5;
- (3) a method (M3) for modulating the activity of MSH5 comprising contacting MSH5 or a cell expressing MSH5 with a compound which binds to MSH5 in a sufficient concentration to modulate the activity of MSH5;
- (4) a method of identifying a subject having or at risk of developing a fertility disease or disorder, comprising:
 - (a) obtaining a sample from the subject;
- (b) contacting the sample with a nucleic acid probe or primer which selectively hybridizes to MSH5; and
- (c) determining whether aberrant MSH5 expression or activity exists in the sample; and
- (5) an isolated cell, or a purified preparation of cells from an MSH5 misexpressing animal.

USE - The transgenic mouse can be used to screen treatments for MSH5-related disorders, e.g. fertility disorders. Cells derived from the transgenic mouse can be used to define the mechanism of MSH5 function in cell processes, e.g. mieosis.

Compounds (e.g. antisense MSH5 nucleic acids, MSH5 antibodies, MSH5 agonists or antagonists) that modulate the activity of MSH5 are useful as contraceptives.

Dwg.0/6

L19 ANSWER 16 OF 16 COPYRIGHT 2002 Gale Group

ACCESSION NUMBER:

2000:219975 NLDB

TITLE:

EUROPEAN PATENT DISCLOSURES. (Brief Article) BIOWORLD Today, (8 Aug 2000) Vol. 11, No. 152. American Health Consultants, Inc.

SOURCE: PUBLISHER:

DOCUMENT TYPE:

LANGUAGE:

Newsletter English

WORD COUNT:

1892

=>